

COMPONENT PARTS FOR VENDING, WATER, SOFT DRINKS AND COFFEE INDUSTRIES.

CATALOGUE V2



INTRODUCTION

WATER TREATMENT & SPARES FOR DRINKS DISPENSERS

As well as being the UK's leading independent manufacturer and supplier of water filters, softeners and RO systems, our growing spares division provides everything to install, service and maintain your drinks equipment.

Established in 1995, European WaterCare is a British manufacturing success story. As well as our head office, located within 30 miles of Central London, we now operate successful affiliate businesses in Ireland, Denmark and South Africa.

Optimistic about the future, our determination as a team to always provide the best customer service is matched only by our strength of brand, quality of products and our goal of providing eco-friendly, value for money solutions.

WaterCare are members of:

The Speciality Coffee Association, The Beverage Service Association, The Foodservice Equipment Association, The Catering Equipment Distributors Association, The Water Dispenser & Hydration Association, as well as ENSE.





CONTENTS

PUMPS..... PUMPS/JERRY CANS/FITTINGS

VALVES...... NON-RETURN VALVES, WASHING MACHINE VALVES, PRV, SOLENOID

FITTINGS...... PLASTIC, BRASS, STAINLESS STEEL, METAL

TUBING / HOSES..... HOSES/SILICONE/PVC/HYDRAVEND/MDPE/BRAIDED PVC/INSULT

O RINGS / WASHERS..... WASHERS, O'RINGS

ELECTRICAL POWER LEAD

HYGIENE..... TABLETS, POWDER, LIQUID, CLEANING MISC


MISC..... CABLE TIE, STAINLESS STEEL CLAMPS, OETIKER, MISC





	.04-06
) valves, water block, installation rails	.07-11
	. 12-17
TUBE	. 18-20
	. 21-22
TOR/TOOLS, BUTTON CAPS, VALVES	. 23-29
	. 30-31
	. 32-35
	. 36-49
	. 50-53
	. 54-57





PUMPS



Description



Description JCAN 20L WITH BLACK LID 20 Ltr Jerry can, ideal to be used with Flojet Bottled water pump



Description FLOJET SYRUP PUMP-PRODUCT OUT 3/8 BARB, GAS IN 1/4 BARB

Flojet CO2 Syrup pump



Description

CO2 powered syrup pump of superior performance and reliability, Designed for dispensing BIB syrups



Description

200L/H BRASS ROTARY VAN BALANCED BYPASS + FILTER 300L/H BRASS ROTARY VAN BALANCED BYPASS + FILTER 300L/H STAINLESS STEEL RC

A full range of rotary vane pumps, suitable for carbonation, recirculation, water filtration and espresso coffee machines, Available in brass and stainless steel



BOXED BOOSTER PUMP SHURFLO

Description

FLOJET BOTTLED WATER PUMP WITH UNIVERSAL PLUG

Universal compact bottled water pump, Float switch for auto shut off, Built in non-return valve to prevent back flow, Positive displacement pump, Universal plug UK/European

Part No

JERRYCAN20L

Part No

FLOJETSYRUPPUMP

SHURFLO SYRUP PUMP, GAS OPERATED 3/8" BARB PLASTIC ELBOW, 1/4" BARB S/STEEL ELBOW

Part No PUMP-SHURFLO166-296-28

	Part No
ne pump, R	PUMP-200L/HBRASSRVP
ne pump, R	PUMP-300L/HBRASSRVP
ROTARY VANE PUMP	PUMP-300L/HSSTEELRVP

Part No

PUMP-BOXEDBOOSTER

A boxed diaphragm pump fitted with pressure switch, Complete with 3/8" push fit connectors and 13A lead

Part No FLOJETBOTTLEDWATERPUMP-UNI

PUMPS

SHURflo

Description SHURFLO FITTING GAS PUMP LIQUID 3/8(10MM) JG STEM 3/8" stem shurflo pump fitting

Part No PUMP-FITTING84-038-03



Description	
GP20/12 PUMP 230V 1 PH 50	DHZ

Part No PUMP-GP20/12

GP series electric pump, Port details: 15mm, 3/8" NPT, 3/8" BSPM



	Description
ŀ	IPR6/11 PUMP 230-1-50 3/8 CARTRIDG
1	.0M CABLE IEC PLUG

PUMP-HPR6/11

Part No

Magnetically coupled regenerative pump, Designed for continuous recirculation of carbonated water, aggressive chemicals and chilled water in high pressure systems. Operating at an optimum flow rate of 3 Ltrs/min.




Description	Part No
VIBRATION PUMP PHOENIX 50N 230V, 53W, 50HZ	pump-vibration 230v-53W-50HZ
ULKA PUMP EP8GW FLAME PROOF COIL 230/240V 50HZ 26W FITTINGS 1/8 - 6MM, MAX PRESSURE 15BAR	pump-vibration Ep8GW230V26W
ULKA PUMP EX4 230/240V 50HZ 48W	PUMP-VIBRATION EX4230V48W
VIBRATORY PUMP EX5, 15 BAR FITTINGS 1/8-6MM MAX TEMP 20° CONNECTOR TERMINAL 6.3 X 0.8MM NSF APPROVED	PUMP-VIBRATION EX548W230V

Compact ULKA pumps capable of high pressures up to 16 Bar, Compact body and quiet operation makes it suitable for various applications, including syrup pump for vending and post mix and espresso coffee machines.

VALVES

FLUID TRANSFER VALVES AND SOLENOIDS FOR DRINKS DISPENSERS AND COFFEE MACHINES

NON-RETURN VALVES / WASHING MACHINE VALVES / PRV SOLENOID VALVES / WATER BLOCK / INSTALLATION RAILS





VALVES

NON-RETURN VALVES



Description 15MM COMPRESSION ISOLATOR VALVE (BLACK HANDLE) WITH DOUBLE CHECK VALVE

Part No

DCVSHUTOFF15MM

Comprehensive range of WRAS approved non-return valves available from stock,

Single and double available.

Description 15MM DOUBLE CHECK VALVE-WRAS APPROVED

Part No VEMCV155-WRAS

Comprehensive range of WRAS approved non-return valves available from stock, Single and double available.

WASHING MACHINE VALVES



Description WASHING MACHINE STRAIGHT VALVE, WRAS APPROVED 15MM COMP X 3/4" CHROME PLATED BRASS

Part No WMC-STRAIGHT

Part No

WMC-ANGLE



Description WASHING MACHINE ANGLE VALVE, WRAS APPROVED 15MM COMP X 3/4" CHROME PLATED BRASS



Part No
WMC-TEE

VALVES

PRV



Description

PLASTIC PRV ADJUSTABLE SUPPLIED SET AT 3 BAR, 1/4" PUSHFIT WITH BRACKET



Description BRASS 1/2" FEMALE X 3/4" MALE PRV SET AT 2.8BAR-KIWA MINI BRASS 1/2" FEMALE X 3/4" MALE PRV SET AT 2.8 BAR WRAS APPROVED

Range of Pressure Reducing Valves in brass + plated brass. Set at 2.8 Bar but can be adjusted.

Honeywell

Description (SUPPLIED SET AT 3BAR)

Honeywell pressure reducing valve designed to protect appliances against excessive supply pressure. Must be installed in horizontal pipework. WRAS approved product.



Description SLIMLINE 15MM COMPRESSION ADJUSTABLE PRV FACTORY SET TO 3 BAR



8

9

WWW.WATERCARE.CO.UK

Part No

PRV-ADJUSTABLE-1/4PF

Description	Part No
INLINE WATER PRESSURE REGULATOR 50PSI	PR01754300C
INLINE WATER PRESSURE REGULATOR 80PSI	PR01754330C
SINGLE IN-LINE WATER PRESSURE REGULATOR 50PSI (3.4 BAR)MAX. 10-13MM(3/8"-1/2")BARB STRAIGHT IN&OUTLET	PRV01754302C
1/2" JG FITTING FOR FLOJET PRESSURE REGULATOR	PRFITTING-21000230B

Inline fixed water pressure regulator Available in 15, 30, 50, 65 and 80 PSI, Please contact sales for details.

PRV-1/2FX3/4M-2.8BAR PRV-1/2FX3/4M-WRAS

Part No

HONEYWELL BRASS PRV 1/2" BSPF C/W GAUGE PORT

Part No PRV-D04-12A

Part No

PRV-ADJ-15MM-SLIM

VALVES

SOLENOID VALVES - We offer a full range of mains water solenoid valves, if what you need is not listed please contact sales



Description S18, 230V 3/8JG SOLENOID VALVE Mains water solenoid valve

Part No SOLENOID-MWS90826



Description EKI VALVE 180° 24V 3/8" JG X 3/8" JG Mains water solenoid valve

Part No VALVE-90828EV

Part No VALVE-EVS18-12V-10B-SIL



VALVES



Description



Description

3/4" BSPF X 3/4" BSPM

For use with Water Block overflow safety device



Description EKI VALVE, S18, 12VOLT, 10B, SIL

Mains water solenoid valve



Description	Part No		
MULLER 110V DISPENSE VALVE 40.008.	VALVE-M55019		
MULLER 24VDC DISPENSE VALVE 40.008.101	VALVE-M55027		

Boiler solenoid valves



Description	
MEMBRANE FOR MULLER VALVES SERIES 40.008 & 46.008	\ \
Paplacement membrane for MUULEP coloneid values	

VALVEMEMBRANE-M07699



Description DISPENSE/BOILER VALVE REPAIR KIT MULLER Part No

Repair kit for MULLER solenoid valves

VALVEREPAIR-D48504



Description WATER PRESSURE KIT(PRV,DC

1/2"PF OUTLET PRV, DCV KIT WITH BLACK H X 1/2" PUSHFIT OUTLET PRV, DCV WITH BLACK HAN KIT 1/4" PUSHFIT OUTLET X WATER PRESSURE REGULATO 2.8BAR INSTALL KIT PRV, DCV WITH BLACK HAN RESET, 15MM COPPER INLE PRV, DCV WITH BLACK HAND PUSH FIT OUTLET

DCV WITH BLACK HANDLE.

Part No WB001

WATER BLOCK SAFETY DEVICE

Leak prevention device Water Block overflow safety device with 34" BSP threads, which is designed to prevent the flow of water greater than set by the adjustment pointer; preventing flooding and leak damage.

WATERBLOCK EXTERNAL RESET DEVICE

Part No

WB-RESETDEVICE

Water Block external reset device, This enables an easy reset without dismantling an installation

INSTALLATION RAILS - Bespoke installation rails, if you do not see the version you require contact sales.

	Part No
CV) 2.8 BAR, 15MM PF INLET X	PRVDCV15-2.8BAR
HANDLE 15MM COPPER INLET	PRVDCVBH12X15MM
NDLE SHUTOFF, WATERBLOCK X 15MM COMPRESSION INLET	prvwbkit14x15mm
OR/WATERBLOCK	PRVWBRESET 15MMX 12
NDLE SHUTOFF, WATERBLOCK ET	PRVWBRESETKIT15MM
IDLE, WATERBLOCK KIT, 12MM	PRVDCVWBKIT12MMPF
e, prv – wras approved,	PRVVA/BRESET15MMX3/8PE


WATERBLOCK, EXTERNAL RESET DEVICE, 3/8" PF OUTLET.

PRVWBRESET15MMX3/8PF

FITTINGS

EXTENSIVE RANGE OF PLASTIC, BRASS AND STAINLESS STEEL FITTINGS AVAILABLE FROM STOCK. WATERCARE ARE PROUD TO BE A MASTER DMFIT DISTRIBUTER

PLASTIC / BRASS / STAINLESS STEEL / METAL



DM FITTINGS

WATERCARE IS A MASTER SUPPLIER OF DM FITTINGS FOR USE WITH SOFT DRINKS SYSTEMS, COFFEE AND VENDING MACHINES.



THE RANGE INCLUDES:

- DM Fittings
- DM Water Fittings
- Male Connectors
- Female Connectors
- Speedfit Plumbing Fittings
- Polypropylene Fittings
- Soft Drink Beverage Connectors

- Beverage Installation Fittings
- Fluid Push Fit Connectors
- Check Valves
- Water Installation Fittings
- Vending Installation Fittings
 - Coffee Installation Fittings
 - Push Fit Connectors

DMfit produce a large range of quick-connect push fit fittings & tubing, which are great value alternatives to the John Guest Speedfit range.

A huge variety of fittings are available and they are designed for quick and convenient assembly and easy separation and re-use.

DM Fittings are suitable for hot water (up to 65C) and cold water applications only.

Sizings are available in Imperial (inches) and metric (millimetres)

DMfit fittings and valves feature an oval collet design for quick connections in plumbing, food service, soft drink dispensers and pneumatic systems.

To learn more visit: www.watercare.co.uk/dm-fittings-fluid-push-fit-connectors





Our speedfit plumbing fittings and soft drink beverage connections make installation and maintenance so easy.

Ideal for coffee and vending machine installations and well as soft drink dispense systems.

They are a great value alternative to the John Guest Speedfit range.

- Pressure Reducing Valves
- Stainless Steel Fittings
- Oetiker Clamps and Clips
- JG LLDPE Tubing
- Flojet Bottles Water Pump
- Installation Fittings
- Push to Connect Fittings



VIEW CATALOGUE



WATER	CARE		FITTINGS PR	¢ΕĹ
CTAL FYTTINGS BY	PORALL .		D	Mf
-			and the second division of the second divisio	
	101000-000	Manage 2	CONTRACTOR NOT	
	proscing.	mones	0071de+3-F977	- 04
	Desincing.	40005	STatistics Name	- 24
C-Mail Develop	passing and	44/365	100104-109010	- 59
APC7 Devel	provides.	******	Confidence in the second	- 44
1.00	Advantation in	4415678	Wide-SPRT	-14
	DHORDET		Intrans hitters	- 04
	-	analise a	STRUGE SIRVER	
NUT	OVERCER	MINOCE	218 July 218 WT	- 64
	01.0003008	manatala	STRAGE STRAFT	
	24140362	74/10/3	20 March 10 WW	- 04
	PR-10030	1011628	OWNERS NOT	
	DH LHCOBR	10108	10100101010	- 01
	in index	Painlet.	2011-00-01-01-01-01-01-01-01-01-01-01-01-	
	04440788	10408	10%dex349479	- 13
	an and all it	101004	-idrates to bards	- 11
		1.041		
	And appendix of the	minante	1000 August Presson	
	protected.	00.0104-02	D.W.Tuber Lawrence	- 61
	10.00000		El Window a fuir fairea	
Cit. Male Company	-		Erithian Lemmins	- 24
approx Terand	And precision of		Indiana Colombia	- 24
	tol other state	distant d	Balladay Loversto	
-	Set one paints	(manager)	al restation of the second sec	- 14
- 10 March 10	in prints.	1401000	5 Whates 1 ar billion	- 10
	24-49436364	49-141203	5191dex349999	10
	- International -			
	pr-measure	494978	0875-064 1-918992	- 10
	Distance of the second	101018	20 bies 2/FillPh	- 51
	in contained		08 km/s 1/2 00/01	- 63
	per-encoderne		57584-341999	- 64
	010000107		10 ster 10 MPA	£.1
	are	1010-0-01	RPSS-LAR NOT SHOW AND	11
	10-010004	1010110	101dex1/# DPProxidented	
	an once of	(Parents	A APPART NOTING	
_	_	_	a programming and a	_



VIEW PRICE LIST

FITTINGS

PLASTIC



Description	
3/4" BSPM X 3/4" BSPM ABS NIPPLE	





Description
3/4" BSPM X 3/8" STEM ABS NIPPLE



Description	
3/8BSPM X 3/8BSPM ABS NIPPLE	



Description	
3/4 BSPM X 3/8 BSPF WHITE ACETAL FITTING	



Descri	ption								
Delrin	3/4″	BSP	FEM.	ALE >	(3/8'	BSP	MALE	FITTIN	١G

Part No PLASTIC-34BSPFX38BSPM

Part No

EW 1401

Part No EW 1403

Part No

EW 1410

Part No

EWC00022



Description	Part No			
PLASTIC 1/4 X 1/4 BARB STRAIGHT	PLASTIC-BARBS 1414			
PLASTIC 3/8 X 3/8 BARB STRAIGHT	PLASTIC-BARBS3838			
PLASTIC 3/8 X 1/4 BARB STRAIGHT	PLASTIC-BARBS3814			
PLASTIC 1/4 X 1/4 X 1/4 BARB TEE	PLASTIC-BARBT141414			
PLASTIC 3/8 X 3/8 X 3/8 BARB TEE	PLASTIC-BARBT383838			
PLASTIC 3/8 X 1/4 X 3/8 BARB TEE	PLASTIC-BARBT381438			
PLASTIC 1/4 X 1/4 BARB ELBOW	PLASTIC-BARBE1414			
PLASTIC 3/8 X 3/8 BARB ELBOW	PLASTIC-BARBE3838			

FITTINGS

BRASS



Description 15MM BRASS STEM WITH SILICONE WASHER AND 3/4 FEMALE NUT



Description



Description 3/4" BSPM X 15MM STEM DZR BRASS



Description 15MM BRASS COMPRESSION ELBOW



Description 15MM BRASS COMPRESSION TEE EQUAL



Description 15MM BRASS COMPRESSION X 3/4" BSPF



Description 15MM BRASS END STOP



WWW.WATERCARE.CO.UK

Part No

BRASS 15 MMSTEM 34 NUT

Part No

BRASS 15MMSTOPEND

Part No BRASS 15 MMSTEMX 12 BRASS 15MM STEM X 1/2" BSPM (SHORT) ADAPTOR BSPMSHORT Part No BRASS 15MMSTEMX 34BSPM Part No VEMCE15 Part No VEMCT15 Part No BRASS 15MMCX34BSPF

FITTINGS

STAINLESS STEEL



Description	Part No		
S/STEEL BARB ELBOW 1/4 EQUAL	SSBARBE1414		
S/STEEL BARB ELBOW 3/8 EQUAL	SSBARBE3838		

Description

S/STEEL BARB STRAIGHT 1/4 EQUAL

S/STEEL BARB STRAIGHT 3/8 X 1/4

S/STEEL BARB STRAIGHT 3/8 EQUAL

S/STEEL STRAIGHT 3/8" BARB, 140MM OVERALL LENGTH

FITTINGS

METAL



Description 3/8 X 1/8 M/F REDUCER TAPER



Description F-E 6MM X 1/8" MALE TAPER METAL ELBOW



Description



Description	Part No
S/STEEL BARB TEE 1/4 EQUAL	SSBARBT141414
STAINLESS STEEL BARB TEE 3/8 X 1/4 X 3/8	SSBARBT381438
S/STEEL BARB TEE 3/8 EQUAL	SSBARBT383838

Part No

SSBARBS1414

SSBARBS3814

SSBARBS3838

SSBARBS3838-140MM

	Desc
	S/ST
\bigcirc	S/ST

Description	Part No
S/STEEL BARB U BEND 1/4 X 1/4	SSBARBU 1414
S/STEEL BARB U 3/8 X 3/8	SSBARB3838(SSU0606)



Description	Part No
S/STEEL BARB Y PIECE 1/4 X 1/4 X 1/4	SSBARBY 141414
S/STEEL BARB Y PIECE 3/8 X 3/8 X 1/4	SSBARBY381438
S/STEEL BARB Y PIECE 3/8 X 3/8 X 3/8	SSBARBY383838

WWW.WATERCARE.CO.UK

Part No

MW2104002


Part No

MW2F39C08

Part No

MW2L31007

6MM PUSHFIT X M5 PARALLEL MALE THREAD ELBOW



TUBING / HOSES

HOSES - Hydrovend hoses available in 6mm ID and 10mm ID, various lengths and any fitting required



Description

HV10 1500MM 3/4" PLASTIC PLASTIC STRAIGHT RETAINED HV10 2000MM 3/4" PLASTI PLASTIC ELBOW RETAINED HV10 450MM 3/4 PLASTIC PLASTIC STRAIGHT RETAINED HV10 550M 3/4 PLASTIC ELE BOTH WITH PLASTIC NUTS



Description

15MM BRASS STANDPIPE



Description HV6 600MM 3/4 BRASS ELBOW X 1/4" BRASS STRAIGHT BRASS NUTS

SILICONE - Various colours and sizes available, please contact sales



Description

BRAIDED SILICONE TRANSL TRANSLUCENT PLATINUM 100MM WIDE X 2.6MM TH TRANSLUCENT PLATINUM 6MMID X 9MMOD TRANSLUCENT PLATINUM 8MMID X 12MMOD TRANSLUCENT PLATINUM 9MMID X 15MMOD TRANSLUCENT PLATINUM 10MMID X 14MMOD

TRANSLUCENT PLATINUM (12MMID X 16MMOD WHITE PLATINUM 70SHORE 4MMID X 8MMOD

GREY PLATINUM CURED SIL 60SH FDA 8MMID X 13MM

	Part No
IC ELBOW RETAINED X 3/4" D	HOSE-SPECIAL-001
TIC STRAIGHT RETAINED X 3/4" HOSE	HOSE-SPECIAL-002
C ELBOW RETAINED X 3/4 ED	HOSE-SPECIAL-003
LBOW X 3/4 PLASTIC STRAIGHT	HOSE-SPECIAL-004

Part No

HV10 1500MM 3/4 PLASTIC ELBOW & PLASTIC NUT

HOSE-SPECIAL-005

Part No HOSE-SPECIAL-006

	Part No
LUCENT 4MMID X 9MMOD	SILBRAIDTRANS 4MMIDX9MMOD
SILICONE HICK 60SHORE	SILTRANS2.6MM 100MM
60 SHORE SILICONE TUBING	SILTRANS6MMIDX9MMOD
60SHORE SILICONE TUBE	SILTRANS8MMIDX12MMOD
60SHORE SILICONE	SILTRANS9MMIDX15MMOD
60 SHORE SILICONE TUBING	SILTRANS 10MMIDX 14MMOD
60 SHORE SILICONE TUBING	SILTRANS 12MMIDX 16MMOD
RE SILICONE TUBE	SILWHITE4MMIDX8MMOD
ILICONE MOD (50M COILS)	SILGREY8MMIDX13MMOD

TUBING / HOSES

TUBING





Description	Part No	
HYDRAVEND 10 (50METRE COILS)	TUBING-HV10	
12.5/18.5 VEND HOSE	TUBING-12.5/18.5VENDHOSE	
BLACK PVC WOUND DUCTING/TUBING 16MMID X 20.7MMOD	TUBING 16MMIDPVCSPIRAL	
PE ULTRA NATURAL TUBING 6.7MM X 9.5MM (3/8" OD, 100M COILS)	TUBING400019.100BVX	
1/20D X 3/8ID BLACK MDPE TUBING (30M COIL)	TUBING401024FBVX	
GREY CO2 PE ULTRA TUBING 3/8" OD (100METRE COILS)	TUBING405019BVX	
5/16" NATURAL BEERLINE TUBING 100M COILS	TUBING410002.100BVX	
PE ULTRA NATURAL 0.117" X 3/16 100M COIL	TUBING410005.100BVX	
MDP BLUE 9.5MM X 6.7MM (3/8" OD)	TUBING413019BVX	
3/8 CLEAR FOOD GRADE PVC TUBING (10MM X 16MM) 30 METRE COILS	TUBING440026G	
PVC BRAIDED HOSE, CLEAR FOOD GRADE 10MMID X 16MMOD (30M COIL)	TUBINGPVCBRAIDED 10MMIDX 16MMOD	
PVC BRAIDED HOSE, CLEAR FOOD GRADE 12.5MMID X 18MMOD (30M COIL)	TUBINGPVCBRAIDED 12.5MMIDX 18MMOD	
GLYCOL TUBE BLACK 10MMID X 15MMOD (HEAT DUMP TUBING)	TUBING85TD621045.30BV	




Description	Part No
BLACK INSULATION TUBE 10MM ID X 6MM WALL 2METRE LENGTHS	INSULTUBE 10IDX6MMWALL
BLACK INSULATION TUBE 12MM ID X 9MM WALL (1/2") 31 METRE COIL	INSULTUBE 12IDX9MMWALL

O'RINGS / WASHERS

FULL RANGE OF O-RINGS AND WASHERS AVAILABLE FROM STOCK. IF YOU DO NOT SEE WHAT YOU REQUIRE PLEASE CONTACT

WASHERS / O'RINGS



ORINGS / WASHERS

WASHERS

Description

3/4" BLACK WASHER NITRILE NBR70

Part No 3/4BLACK-WASHER



Description 400-867-4490-41E 12MM GERMAN SELF CENTRE BONDED WASHER

Part No WASHER-CO2BOTTLE

Description	
3/4" RUBBER WASHER	
WITH S/S GAUZE FILTER MESH NBR70	

Part No WASHER-FILTER-3/4



Description 3/4" WHITE SILICONE WASHER 3/4 X 14MM X 2.25MM WASHER-3/4WHITESILICONE

Part No

O'RINGS




Description Part No	
12MM X 2MM NITRILE 70 O RING	ORING-12X2
BS 1806-010 6.7MMID X 1.78MM SECTION VITON O RING	ORING-6.7X1.78
EM072X05N70	ORING-72X5
82.14mm x 3.53mm o ring Nbr70 (1x v1 Housing)	ORING-82.14X3.53

IF YOU DO NOT SEE THE SIZE YOU REQUIRE PLEASE CONTACT PARTS DIVISION SALES TEAM FOR A QUOTATION

WE STOCK ALL WUNDERBAR ORIGINAL SPARE PARTS. CONTACT SALES DEPARTMENT FOR ANYTHING NOT LISTED.

424 PARTS / SPRINGS / BUTTONS / MISC / PLASTIC / O'RINGS, CONNECTORS / TOOLS / BUTTON CAPS / VALVES





SOFT DRINKS / BARGUN SPARES

424 VALVE PARTS



Description	_
DIFFUSER INSERT SET 424 SERIES SODA	

Part No 424VALVE-DIFFUSERINSERT





Part No 424VALVE-NOZZLE



Description SYRUP SEPARATOR S-TUBE (424 VALVE)

Part No SYRUPSEP-424VALVE



SPRINGS/BUTTONS/MISC



Description STEM SPRING



Description BUTTON PLATE SCREW. STAINLESS STEEL, 6-32-1/2"



Description BUTTON STEM SNAP-ON

SPRINGS/BUTTONS/MISC



Description Part No H RETAINER PLATE

BARGUN-PH10-109



Description PLUG LOCKING ACCESS WITH FLANGE

Part No BARGUN-PH10-136



Description	Part No
TUBE FERRULE POLYPROP	BARGUN-PH10-17
TUBE FERRULE CAP POLYPROPYLENE	BARGUN-PH10-18



Description PREMIX SNAP ON BUTTON LONG



Description SNAP ON OVAL BUTTON



Part No

BARGUN-PH10-21

Part No

BARGUN-SCREW-PH10-3

Part No

BARGUN-PH10-73

Part No

BARGUN-PH10-75

Part No

BARGUN-PH10-76

Part No

BARGUN-PH10-89

SOFT DRINKS / BARGUN SPARES

Description

BLACK 10B BUTTON PLATE

PLASTIC PARTS



Description	Part No
BLACK SPLIT HANDLE HEEL MK 4	BARGUN-PH10-13
BEACK SI EIT HANDLE HEEL MIKZ & 2.5	
BLACK SPLIT HANDLE HEEL MK2 & 2.5	BARGUN-PH 10-137



00

0



Description	Part No
BLACK BOTTOM PLATE	BARGUN-PH10-27



Description	Part No
BLACK BUTTON PLUG	BARGUN-PH10-37



Description BLACK EXTENDED NOZZLE MK2

Part No BARGUN-PH10-93

Part No

BARGUN-PH10-2

BARGUN-PH10-2-8



Description BLACK EXTENDED TWIST LOCK NOZZLE MK2.5 & 3

Part No BARGUN-PH10-94



Description UNIVERSAL SYRUP SEPARATOR

Part No SYRUPSEP-PH10-83

SOFT DRINKS / BARGUN SPARES

O'RINGS



CONNECTORS / TOOLS



Description TOOL FOR O RING INSERT



Description BAG IN BOX CONNECTOR GREEN ENCORE 3/8" BARB



Description BRIX CUP 5:1 (CONTACT FOR AVAILABILITY)



Description BRIX CUP 5:1 AND 5.5:1



Description TAPRITE CARBONATION TESTER PC SUGARED PEPSI PRODUCTS

	Part No
NE (1.5 X 1.5)	BARGUN-PH10-20-E
	BARGUN-PH10-26
5.57 X 3.53MM)	BARGUN-PH10-30
& 3 (28.5 X 2.62MM)	BARGUN-PH14-30-E
ACK)-MANIFOLD	BARGUN-PM 10-14
	BARGUN-PM 10-6

Part No

BARGUN-PH10-36

Part No **BIB-GREENENCORE**

Part No

BRIXCUP-1092

Part No

BRIXCUP-99-9012

Part No

CARBTESTER

SOFT DRINKS / BARGUN SPARES

CONNECTORS / TOOLS



Description
PYTHON CUTTERS

Part No CUTTERS-PYTHON



Description	Part No
PREMIX DISCONNECT LIQUID 1/4 FLARE BLACK	DISCONNECT27-1100-99
PREMIX DISCONNECT GAS 1/4" BARB GREY	DISCONNECT27-1102-77
BALL LOCK DISCONNECT LIQUID 3/8 BARB BLACK	DISCONNECT27-1103-99



Description	Part No
BIB CONNECTOR (33020)	QCDII



Description	Part No
CO2 SPANNER	SPANNERCO2
COMBINATION SPANNER	COMBINATIONSPANNER



Description
STRAP FOR CO2 BOTTLE

Part No STRAP-CO2BOTTLE



Description	Part No
1" BLACK TAPE 20M ROLL	TAPEOO1
2" BLACK TAPE 33M ROLL	TAPEOO2



Description	Part No		
3 WAY CORDIAL VALVE SWAN NECK BARB INLET	VALVE-CORDIAL003		
3 WAY CORDIAL VALVE SHORT SPOUT, BARB INLET	VALVE-CORDIAL003SHORTSPOUT		

SOFT DRINKS / BARGUN SPARES

BUTTON CAPS




Description	Part No	
ROUND SNAP ON BUTTON CAP GREEN/WHITE A	BARGUN-PH10-74-001-A	
ROUND SNAP ON BUTTON CAP WHITE/BLACK C	BARGUN-PH10-74-004-C	
ROUND SNAP ON BUTTON CAP WHITE/BLACK L	BARGUN-PH10-74-016-L	
ROUND SNAP ON BUTTON CAP ORANGE/BLACK O	BARGUN-PH10-74-019-ORANGE-O	
ROUND SNAP ON BUTTON CAP WHITE/BLACK T	BARGUN-PH 10-74-035-T	
Round Snapon Button cap red/white cran	BARGUN-PH10-74-068-CRAN	
ROUND SNAPON BUTTON CAP WHITE/BLACK DIET	BARGUN-PH10-74-073-DIETW/BLK	
round snap on button cap orange	BARGUN-PH10-74-116-ORANGE	
ROUND SNAPON BUTTON CAP WHITE/BLACK ENRGY	BARGUN-PH 10-74- 170-ENRGY	
round snap on button cap green	BARGUN-PH10-74-186-GREEN	
ROUND SNAP ON BUTTON CAP PURPLE BARGUN-PH 10-74-188-1		
ROUND SNAP ON BUTTON CAP BLACK/WHITE MAX BARGUN-PH10		
ROUND SNAP ON BUTTON CAP BLUE/WHITE PEPSI BARGUN-PH 10-74- 123-PEF		
OVAL SNAP ON BUTTON CAP SODA BARGUN-PH10-77-50		
oval snap on button cap water	BARGUN-PH10-77-501-WATER	



Description FLOJET CHANGE OVER VALVE

Part No

CHANGEOVER01603230A



ELECTRICAL



Description

BLACK 2METRE LEAD UK 13A MOULDED 1.5MM SQ.LEAD-2MUK13A1.5MMSQBLACK 2M 5AMP MOULDED PLUG 3 CORE X 0.755MMSQLEAD-2MUK5A0.75MMSQSTRIPPED ENDLEAD-2MUK5A0.75MMSQ

Power cords available in all types and lengths. Contact sales if you do not see what you need.

Part No

HYGIENE

COMPLETE RANGE OF CLEANING AND DISINFECTING PRODUCTS FOR COFFEE, VENDING AND WATER APPLICATIONS, PROVIDING SAFE CLEANING SOLUTIONS. MSDS AND COSHH SHEETS AVAILABLE UPON REQUEST.

TABLETS / POWDER / LIQUID / CLEANING MISC



HYGIENE

TABLETS



Description CHLORINE TABLETS 1.7G 200 TO



Description

100 X 2.4GRAM ESPRESSO CLEA DIA X 6MM DEPTH (BOX QTY 6

Dissolving times for Java Ta Water Temp °C

Water lemp °C
90
80
70
60



Description CAFIZA E31 ESPRESSO MACHIN CLEANING TABLETS - 2G (100)





LIQUID



Description PHOSPHORIC ACID LIQUID DES



Description

32

	Part No
200 TO A TUB, 6 TUBS TO A CASE	CHLORINETABLETS
	Part No
o cleaning tablets 18mm qty 6 tubs)	tablets-espressocleaning 18MMX6MM
ava Tablets	
Time / mm:ss	
00:25	
00:38	
01:50	
02:35	
	Part No
IACHINE	URNEX-E31 BREWERTABLETS
	Part No
IING TABLETS 120 TABLETS IN A BOX	URNEX-M61TABLETS
	Part No
JID DESCALER 1 LITRE BOTTLE	DESCALER-LIQUID1L
	Part No

PHOSPHORIC ACID ALL PURPOSE RAPID DESCALER 5 LITRE

DESCALER-PHOSACID5L

HYGIENE

LIQUID



Descriptio	n				
STAINIESS	STEEL	750MI	SPRAY	BOTTLE	





Part No MILKLINE-BLUE

Part No

CLEANER-SSTEEL



Description	Part No
GENERAL SURFACE CLEANER 750ML	SANITIZER-SPRAY



Description	Part No
VENDING AND BREWER CLEANER 1 LITRE	BREWERCLEANER1



Description	Part No
red internal watercooler sanitiser 1 litre	SANITISERHP1
RED INTERNAL WATERCOOLER SANITISER 5 LITRE	SANITISERHP5



Description	Part No
FOAMING DESCALER 700ML SPRAY	DESCALER-FOAMINGSPRAY700ML
FOAMING DESCALER 5 LITRE READY TO USE	DESCALER-FOAMIN5L-RTU

HYGIENE

LIQUID



Description

ANTI-BACTERIAL SANITISER READY TO USE 700ML SPRAY BOTTLE ANTI-BACTERIAL SANITISER CONCENTRATE 5 LITRE BOTTLE

POWDER







CLEANING MISC

BRUSH WHITE OVERALL LENG BRISTLE LENGTH 76MM X BR BRUSH BLUE OVERALL LENGT BRISTLE LENGTH 95MM X BRI BRUSH BLUE OVERALL LENGT

Part No


sanitiser-antibac700ml

SANITISER-ANTIBAC5LCONC

ANTIPACTERIAL SANTISER CONCENTRATE S LITRE BOTTLE	SAINITISER AINTIBACSLOUNC
Description	Part No
SULPHAMIC ACID POWDER DESCALER 2.5KG TUB	DESCALER-POWDER2.5KG
Description	Part No
301ler descaler sulphamic acid 1 kg	DESCALER-POWDERBOILER1KG
Description	Part No
DETANNIN POWDER 500G TUB WITH SCOOP	DETANNIN500G
Description	Part No
ESPRESSO/BACKFLUSH CLEANING POWDER 500GM TUB	Cleaner-backflush
Description	Part No
BRUSH WHITE OVERALL LENGTH 318MM X BRISTLE LENGTH 76MM X BRISTLE WIDTH 7.9MM	BRUSH-WHITE318X76X7.9
BRUSH BLUE OVERALL LENGTH 305MM X BRISTLE LENGTH 95MM X BRISTLE WIDTH 9.5MM	BRUSH-BLUE305X95X9.5
BRUSH BLUE OVERALL LENGTH 356MM X BRISTLE LENGTH 65MM X BRISTLE WIDTH 4.8MM	BRUSH-BLUE356X65X4.8
BRUSH BLUE OVERALL LENGTH 500MM X BRISTLE LENGTH 76MM X BRISTLE WIDTH 4.8MM	BRUSH-BLUE500X76X4.8
Description	Part No
•	

SET OF FOUR SMALL CLEANING BRUSHES

BRUSH-SET4



WATERCARE IX



Description

Description

IX MINI INLINE 1 MICRON 3/8" PUSHFIT



IX HEAD WITH 3/8" PUSH FITTIN IX HEAD WITH 3/8" PUSH FITTIN WITH DIGITAL METER IX HEAD WITH 3/8" BSP FITTING IX HEAD WITH 3/8" BSP FITTING WITH DIGITAL METER

Xwater	
scottine ion	Xwater 🕻
	lot

Description	Code
IX01 ION EXCHANGE ASSEMBLED CARTRIDGE AND RESIN REFILL (WITHOUT HEAD)	IXO1 CART-V2
IX02 ION EXCHANGE ASSEMBLED CARTRIDGE AND RESIN REFILL (WITHOUT HEAD)	IXO2CART-V2
IX01 ION REFILL	IXO1 REFILL-V2
IX02 ION REFILL	IXO2REFILL-V2



Description	Code
IX01 CARBON ASSEMBLED CARTRIDGE AND REFILL (WITHOUT HEAD)	IX01 CARBONCART-V2
IX02 CARBON ASSEMBLED CARTRIDGE AND REFILL (WITHOUT HEAD)	IX02CARBONCART-V2
IX01 CARBON REFILL	IX01 CARBONREFILL-V2
IX02 CARBON REFILL	IX02CARBONREFILL-V2



Description
IX01 VEND
ASSEMBLED CARTRIDGE AN
IXO2 VEND
ASSEMBLED CARTRIDGE AN
IX01 VEND REFILL
IXO2 VEND REFILL



37



Part No

IXMINI-1M

	Code
NGS INLET AND OUTLET	IXHEAD-3/8DM-V2
NGS INLET AND OUTLET	IXHEAD-3/8DM-DIGI-V2
IGS INLET AND OUTLET	IXHEAD-3/8BSP-V2
IGS INLET AND OUTLET	IXHEAD-3/8BSP-DIGI-V2

Please note: All IX Cartridges will need a head on initial install.

Code
IX01 VENDCART-V2
IX02VENDCART-V2
IX01 VENDREFILL-V2
IXO2VENDREFILL-V2

WATERCARE IX



Description	Code
IX01 ICE ASSEMBLED CARTRIDGE AND REFILL (WITHOUT HEAD)	IX01 ICECART-V2
IX02 ICE ASSEMBLED CARTRIDGE AND REFILL (WITHOUT HEAD)	IX02ICECART-V2
IX01 ICE REFILL	IX01 ICEREFILL-V2
IXO2 ICE REFILL	IX02ICEREFILL-V2



Description	Code
IX01 POSTMIX ASSEMBLED CARTRIDGE AND REFILL (WITHOUT HEAD)	IX01 POSTMIXCART-V2
IXO2 POSTMIX ASSEMBLED CARTRIDGE AND REFILL (WITHOUT HEAD)	IX02POSTMIXCART-V2
IX01 POSTMIX REFILL	IX01 POSTMIXREFILL-V2
IXO2 POSTMIX REFILL	IX02POSTMIXREFILL-V2



Description	Code
SPANNER ADAPTOR	EW 1704



Description	Code
IX SPANNER	EW 1505

WATERCARE CTUs



Description	Code New	CTU Packs* Code (2Port)
CTU PRIMA FOR COFFEE EQUIPMENT 5 LITRE	PRIMA-5	PRIMA-5-PK
CTU PRIMA FOR COFFEE EQUIPMENT 10 LITRE	PRIMA-10	PRIMA-10-PK
CTU PRIMA FOR COFFEE EQUIPMENT 18 LITRE	PRIMA-18	PRIMA-18-PK

*Packs include meter and hoses.



38

Description		
DN 15 COLD WATER	MULTIJET WATER	METER

Code METER-CW-001


WATER FILTERS

BRITA Other Brita filters available upon request, please contact sales



Description

S/C 1002730 - PURITY C50 QUELL







Description BRITA C500 FINEST

Description BRITA PURITY C FRESH CARTRIDGE



Description S/C 1002952 - FILTER HEAD 30% BLEND FOR PURITY C RANGE FILTER HEAD 0-70% BLEND FOR PURITY C RANGE



Description S/C 298900 - BRITA PURITY C FLOW METER

WWW.WATERCARE.CO.UK



Part No

BRITC50

Part No

BRITC 150

BRITC300

BRITC500

Part No

BRITC 1100

Part No

BRITC500FINE

Part No

BRITCFRESH

Part No

BrithC30

BRITHCO-70

Part No

BRITMETER

BWT HEADS



FEATURES

Can be fixed to any BWT water+more filter. A non-return valve on the inlet side prevents any ingress of water into the drinking water system and a similar valve on the outlet side seals the filter off from the end device (e.g. coffee machine). Both non-return valves close if there is a sudden drop in pressure, which prevents leakage and water discharge during replacement of the filter. The dual system is rounded off by the BWT bestflush bleed valve.

DBWT

Description	CONNECTION	Part No
BWT FILTER HEAD	LOCKABLE BYPASS, AUTO SHUT-OFF WITH NRV'S. 3/8" BSP	BWT-HEAD



FEATURES

With BWT besthead FLEX, the filter head with the world's most flexible connector technology, installing the filter is really easy, even where space is tight. Its innovative FLEX technology with its configured angle adjustment in 30° increments allows for the best possible orientation of the connector hoses, even where space is at a premium.

Description	CONNECTION	Part No
BWT BESTHEAD FLEX	3/8" - OTHER SIZES AVAILABLE	BVVT-BESTHEADFLEX

BWT BESTMAX



FEATURES

Raw water needs to be optimised for the specific requirements of the catering industry (HORECA). BWT bestmax provides you with a universal filter system that fulfils this task simply and efficiently. The filter system consists of a filter cartridge with five filter levels and a BWT besthead filter head that is screwed on. The blend partial flow (0-3) is set on the filter head depending on the water hardness and requirement.

APPLICATIONS: For coffee and steam ovens

Description	Dimensions HxWmm	Capacity (ltrs) Vending	Capacity (ltrs) Coffee MC + Steam	Capacity (ltrs) Steam Oven/ICE	Part No
BWT BESTMAX M	500 × 130	3800	2835	2180	BWT-MAX-M
BWT BESTMAX L	530 x 145	5200	3885	2985	BWT-MAX-L
BWT BESTMAX XL	530 x 145	6800	5080	3905	BWT-MAX-XL
BWT BESTMAX 2XL	600 x 185	12000	8965	6895	BWT-MAX-2XL

WATER FILTERS

BWT BESTMAX PREMIUM



FEATURES

BWT Bestmax PREMIUM is a filter system with which you can refine raw water to produce gourmet water that is outstandingly suited to making hot beverages such as coffee, espresso and tea. The modular multi-stage filter uses patented BWT Magnesium Technology, which also mineralises the filtrate with magnesium. This flavour carrier guarantees high sensory quality in both the water and the products made from it. The filter system consists of a filter cartridge with a BWT besthead filter head that is screwed on. The blend partial flow (0-3) is set on the filter head depending on the water hardness and requirement.

APPLICATIONS: For coffee and vending machines

Description	Dimensions HxWmm	Capacity (ltrs) Vending	Capacity (ltrs) Coffee MC + Steam	Part No
BWT BESTMAX PREMIUM XL	530 x 145	3900	3250	BWT-MAXPREMIUM-XL
BWT BESTMAX PREMIUM 2XL		6350	5290	BWT-MAXPREMIUM-2XL

BWT BESTMAX SOFT



FEATURES

Perfect coffee water from every water type – that's the BWT water+more promise. Joining our world-beating hot drinks range of filters, BWT bestmax SOFT targets raw water with low carbonate hardness. Providing taste and odour filtration, pH maintenance and pinpoint scale management, BWT bestmax SOFT offers coffee shops in 'soft' water areas good machine protection and great hot drink quality.

Description	Dimensions HxWmm	Capacity (ltrs) H+C Drink No Steam	Capacity (ltrs) Coffee MC + Steam	Part No
BWT BESTMAX SOFT XL	530 x 145	6800	5080	BWT-MAXSOFT-XL
BWT BESTMAX SOFT 2XL	600 x 185	12000	8965	BWT-MAXSOFT-2XL



APPLICATIONS: For optimising already soft water for drinks equipment

BWT BESTPROTECT



FEATURES

With BWT bestprotect, you can optimise raw water for catering applications in a targeted way. This filter system ensures balanced mineralisation and a consistently high pH value in the filtrate - key factors that minimise the risk of corrosion. Hardness-forming calcium ions are practically entirely removed and deposits of limescale and gypsum prevented in the case of raw water containing carbonates or sulphates. Insoluble or difficult-to-remove deposits in machines are now a thing of the past. The filter system consists of a filter cartridge with a BWT besthead filter head.

BWT

APPLICATIONS: For protecting catering and vending equipment

	Dimensions		
Description	HxWmm	Capacity (ltrs)	Part No
BWT BESTPROTECT XL	530 x 145	2620	BWT-PROTECT-XL
BWT BESTPROTECT 2XL	600 x 185	5000	BWT-PROTECT-2XL

BWT BESTTASTE



FEATURES

BWT besttaste is a water treatment system for the elimination of particles and chlorine from, and the improvement of the odour and taste of, drinking water. besttaste improves the quality of the water for use in coffee machines as well as in hot and cold drink machines. With BWT besttaste, water from water dispensers is of a consistently high quality. Even coffee and vending machines in areas of low carbonate hardness will benefit from the improved water quality.

APPLICATIONS: For drinking water, coffee and vending

	Dimensions		
Description	HxWmm	Capacity (ltrs)	Part No
BW/T BESTTASTE	300 x 65	10000	BVVT-TASTE-X
BW/T BESTTASTE S	385 x 65	40000	BWT-TASTE-S

WATER FILTERS

BWT BESTMIN PREMIUM



FEATURES

BWT bestmin filter cartridges optimise water with a low mineral content for use in the food service sector. This often applies to water in holiday locations, for example from lakes and reservoirs and the water produced by reverse osmosis in seawater treatment plants. BWT bestmin is the perfect solution for restoring this deficiency. The balanced combination of natural minerals in the BWT bestmin filter adds the correct level of minerals to the water used in the food service sector, achieving an optimum brewing and full-taste experience for hot and cold drinks. BWT bestmin gives stale-tasting water a superb sensory quality that brings out the full flavour of hot drinks.

APPLICATIONS: For perfect mineralisation in coffee and vending equipment

Dimensions Description HxWmm BWT BESTMIN PREMIUM M 500 x 130

BWT BESTCARE



FEATURES

With the increasing popularity of water dispensers BWT Bestcare provides maximum defence against pathogens. The filters contain ultrafiltration membranes that are highly effective at removing pathogens from the water, while the activated carbon fleeces eliminate unwanted tastes and smells. BWT bestcare filters provide guests and diners with a cool refreshment sensation that guarantees the highest standards of hygiene – consistently pure water of exceptional sensory quality and an impressive capacity.

APPLICATIONS: For water dispensers

	Dimensions
Description	HxWmm
BWT BESTCARE S	385 × 88



Capacity (ltrs) 10000

Part No BWT-MINPREMIUM-M

Capacity (Itrs) 12,000

Part No

BWT-CARE-S

3M SCALEGARD™ BLEND SERIES



FEATURES

3M™ ScaleGard™ Blend Series reduces chlorine taste and odour, as well as chloramines that can react with metal, plastic and rubber materials which may cause equipment damage. Scale reduction also helps provide equipment protection from hard scale and corrosion. An innovative, powerful system that combines chloramine reduction water filtration systems with the ability to monitor filter capacity and control water quality at your fingertips. Quadruple-action filtration provides protection against: Hard scale, Corrosion, Chlorine taste/odour and Chloramines.

APPLICATIONS: For protecting catering and vending equipment

Description	Part No
BH3 VARIABLE BYPASS HEAD	3M-BH3HEAD
BH3 VARIABLE BYPASS HEAD WITH MONITOR	3M-BH3MHEAD

FOR COFFEE, HOT BEV & POSTMIX WITH VARIABLE BYPASS

Description	Capacity (ltrs)	Part No
3M SCALEGUARD BLEND 145 CLS CARTRIDGE	2006	3M-B145CLS
3M SCALEGUARD BLEND 165 CLS CARTRIDGE	2835	3M-B165CLS
3M SCALEGUARD BLEND 195 CLS CARTRIDGE	4727	3M-B195CLS

3M AP2 FILTER RANGE



FEATURES

3M's patented filtration technology utilises a powdered, engineered media, combined with a unique binding matrix supporting small particles, to deliver superior efficiency and optimal performance.

The 3M AP2-C401 SG is a dedicated water filter for drinking water and water coolers. It removes bad taste and odours including chlorine, benzine, toxaphene, dichlorobenzene, lead, cycts and reduces sediment. Approximate 4000 litre capacity – recommended cartridge change every 6 months.

APPLICATIONS: For steam ovens and combination steamers

	Part No
	3M-AP2HEAD
Capacity (ltrs)	Part No
4000	3M-AP2-C401G
4000	3M-AP2-C401SG
4000	3M-AP2-C405G
4000	3M-AP2-C405 FILTER
	4000 4000 4000

Capacity based on water hardness of 12° clarke / 180 PPM

WATER FILTERS

3M HF-MS FILTER CARTRIDGE RANGE



FEATURES

as sediment and chlorine, taste and odour reduction.

APPLICATIONS: For steam ovens and combination steamers

Description STANDARD VH3 HEAD WITH FEMALE 3/8 BSP VH3 HEAD WITH GAUGE

Description 3M HF05MS CARTRIDGE 3M HF10MS CARTRIDGE

3M HF-S FILTER CARTRIDGE RANGE All sizes available, please contact sales.



FEATURES

The 3M HF-S range reduces sediment, bacteria and chlorine for clearer and great tasting ice. The built-in scale inhibitor reduces lime scale build-up on evaporator plates to help ensure long lasting equipment and reduce service calls. Sanitary Quick Change (SQC) encapsulated cartridge design allows for fast and easy cartridge change.

APPLICATIONS: For ice makers and flakers

Description	Capacity (ltrs)	Part No
3M HF40-S CARTRIDGE	94000	3M-HF40-S
3M HF60-S CARTRIDGE	132489	3M-HF60-S
3M HF90-S CARTRIDGE	200000	3M-HF90-S

3M SCALEGARD™ PRO RANGE



FEATURES

The 3M ScaleGard Pro range has been designed to protect coffee and beverage equipment from the harmful effects of scale build-up in hard water areas. The filter cartridge has been designed to prevent hard scale formation in the heating coils that will result in energy inefficiency, equipment downtime and expensive service call outs.

APPLICATIONS: For hot beverage equipment

Description	Capacity (ltrs)	Part No
3M SCALEGARD PRO 124 CARTRIDGE	1600	3M-SGP124BN
3M SCALEGARD PRO 165 CARTRIDGE	2300	3M-SGP165BN
3M SCALEGARD PRO 195 CARTRIDGE	3900	3M-SGP 195BN

Capacity based on water hardness of 12° clarke / 180 PPM



- The 3M HF-MS range provides scale inhibition for coffee machines and small vending machines as well
- The small sizes are ideal for space constraint issues. All products fit the VH3 head which allows
- interchangeability and no requirement for turning off the water supply when changing a cartridge.

F	Part No
3M-VH33	STANDARDHEAD
3M-VH3GAUGEHEAD	
Capacity (ltrs)	Part No
5600	3M-HF05MS
13000	3M-HF10MS

EVERPURE INSURICE FILTER RANGE



FEATURES

The Everpure Insurice filtration system provides premium quality water for ice machines and flakers. It reduces chlorine taste, odours and other contaminants for clearer, brighter great tasting ice.

EVERPURE

Proprietary Micro-Pure® II filtration media effectively inhibits the growth of bacteria on the filter. Sanitary cartridge replacement is simple, quick and clean. Internal filter parts are never exposed to handling or contamination.

The filter also reduces water related ice machine service problems caused by scale, dirt and other dissolved minerals.

APPLICATIONS: For ice makers and flakers

Description	Dimensions HxWxDmm	Capacity (ltrs)	Part No
EVERPURE INSURICE SINGLE FILTER			
FOR ICE MACHINE APPLICATIONS	677 x 200 x 130	34000	EV932401
FOR ICE MACHINES USING UP TO 135KG DAILY			
	Dimensions		
Description	HxWxDmm	Capacity (ltrs)	Part No
EVERPURE INSURICE TWIN FILTER			
FOR ICE MACHINE APPLICATIONS	640 x 420 x 139	68130	EV932402
FOR ICE MACHINES USING UP TO 280KG DAILY			

EVERPURE MH2 FILTER CARTRIDGE



FEATURES

The Everpure MH2 provides premium quality water for coffee and hot beverage applications. Ensures clear, fresh water that produces great tasting coffee and other hot beverages. Scale inhibitor helps reduce scale build up on heating elements thus protecting the equipment and reducing service costs.

APPLICATIONS: For hot beverage equipment

	Dimensions		
Description	HxDmm	Capacity (Itrs)	Part No
EVERPURE MH2 REPLACEMENT CARTRIDGE FILTER			
FOR HOT BEVERAGE APPLICATIONS UTILISING QL3B HEAD (NOT SUPPLIED)	369 x 83	34068	EV961326

Description

|--|

Part No EVP4312-13

Capacity based on water hardness of 12° clarke / 180 PPM

WATER FILTERS

EVERPURE 4C FILTER CARTRIDGE



FEATURES

The Everpure 4C provides a 11,355 litre capacity and is specifically designed for cold cup vending applications and features precoat filtration to provide superior chlorine taste and odour reduction. Submicron filter technology filters dirt and particles as small as 0.5 microns in size as well as reducing contaminants such as Cryptosporidium and Giardia cysts.

APPLICATIONS: For cold cup vending applications

Description

EVERPURE 4C REPLACEMENT CARTRIDGE FILTER FOR COLD CUP VENDING APPLICATIONS UTILISING QL3B HEAD (NOT SUPPLIED)

Description

EVERPURE QL3B HEAD

EVERPURE 4H FILTER CARTRIDGE



FEATURES

The Everpure 4H provides a 11,355 litre capacity and is a scale inhibiting water filter specifically designed for hot cup vending applications and features precoat filtration to provide superior chlorine taste and odour reduction. Submicron filter technology filters dirt and particles as small as 0.5 microns in size as well as reducing contaminants such as Cryptosporidium and Giardia cysts.

APPLICATIONS: For hot beverage equipment

Description
EVERPURE 4H REPLACEMENT CARTRIDGE FILTER
FOR HOT CUP VENDING APPLICATIONS
UTILISING QL3B HEAD (NOT SUPPLIED)

Description

EVERPURE QL3B HEAD

Capacity based on water hardness of 12° clarke / 180 PPM



Dimensions HxDmm	Capacity (ltrs)	Part No
369 x 83	11355	EV96011
	Part	No
	EVP43	12-13

Dimensions			
HxDmm	Capacity (ltrs)	Part No	_
369 x 83	11355	EV961100	

Part No EVP4312-13

EVERPURE MC2 FILTER CARTRIDGE

FEATURES

The Everpure MC² Filter Cartridge improves the taste of fountain beverages and helps retain the drinks carbonation. It can be used for both fountain beverage and combination applications. Micro-Pure II media with AgION™ antimicrobial protection inhibits any potential bacterial growth. Exclusive submicron precoat filtration removes particles as small as 1/2 micron in size, eliminating bad tastes and odours.

EVERPURE

APPLICATIONS: For drinking water application

Description	Dimensions HxDmm	Capacity (ltrs)	Part No
EVERPURE MC2 REPLACEMENT CARTRIDGE FILTER FOR DRINKING WATER APPLICATIONS UTILISING QL3B HEAD (NOT SUPPLIED)	527 x 83	34068	EV961255
Description		Part	No
EVERPURE QL3B HEAD	EVP4312-13		

EVERPURE CLARIS



FEATURES

Everpure Claris filter systems are designed specifically for tea and beverage equipment. The cartridges reduce scale as well as improving the taste and aroma of the final beverage. The Claris system uses ion exchange (saltless softening) technology to remove hardness and reduce alkalinity. The final water hardness can then be carefully tailored for optimal performance.

In addition the Claris XXL System is suitable for steam applications.

APPLICATIONS: For tea and beverage equipment

Description	Dimensions HxDmm	Capacity (ltrs)	Part No
CLARIS MEDIUM REPLACEMENT CARTRIDGE	426 × 94	3002	EVP4339-11
CLARIS LARGE REPLACEMENT CARTRIDGE	360 x 136	5016	EVP4339-12
CLARIS EXTRA LARGE REPLACEMENT CARTRIDGE	471 x 136	7192	EVP4339-13
CLARIS XXL REPLACEMENT CARTRIDGE	471 x 175	13200	EVP4339-14

WATER FILTERS

EVERPURE CLARIS ULTRA



FEATURES

APPLICATIONS: For use with coffee machines, ice makers and vending machines

Dimensions HxDmm	Capacity (ltrs)	Part No
315 x 94	2250	EVP4339-80
426 x 94	3750	EVP4339-81
360 x 136	7000	EVP4339-82
471 x 136	10000	EVP4339-83
471 x 175	16500	EVP4339-84
	315 x 94 426 x 94 360 x 136 471 x 136	315 x 94 2250 426 x 94 3750 360 x 136 7000 471 x 136 10000

Capacity based on water hardness of 12° clarke / 180 PPM



Description CLARIS HEAD ONLY CLARIS WATER METER

Capacity based on water hardness of 12° clarke / 180 PPM

EVERPURE

The Everpure Claris Ultra range is the world's first filter cartridge which combines mineral reduction and corrosion protection through advanced pH balancing whilst providing the very best filtered water quality for hot drinks and ice machines whilst preventing scale formation. The Everpure Claris Ultra range of cartridges have the distinct advantage of inhibiting corrosion and metal migration within the widest range of water hardness levels.

 Part No
EVP4339-90
EVP4339-30

COFFEE MACHINE PARTS & ACCESSORIES

Description

ANTI-VACUUM VALVE STANDARD 1/4" This valve allows air to escape the boiler as the water heats up, hissing and then closing off when the boiler water reaches it's operating pressure, sealed by the steam pressure created.

C2GICAR'

Description

GICAR FLOW METER LID ONLY WITH LED GICAR flow meter lid only with LED, GICAR, Part number 9.0.16.50G



Description GICAR PLASTIC PROPELLOR



Description GRINDER BLADES SAN MARCO 64MM - 37MM RH



Description GRINDER BLADES SAN MARCO 84MM - 45MM RH




Description 6.5MM HOLDER GASKET

Filter holder gasket, 64 x 52.5 x 5.5mm

COFFEE MACHINE PARTS AND ACCESSORIES

FLUID TRANSFER PARTS AND ACCESSORIES FOR MAKING/SERVING COFFEE

VALVES / GRINDER BLADES / PRESSURE SWITCHES / ACCESSORIES



Part No

ANTIVACUUMVALVE1/4

Part No

FLOWMETER-GICARLIDLED

Part No

FLOWMETER-GICARPROPELLOR

GICAR propeller, Part number 6.9.23.05G

Part No

GRINDERBLADES-64MM

Pair of grinder blades / burrs for SAN MARCO grinder, 64mm – 37mm RH, 8.5mm thickness, 3 fixing holes

Part No

GRINDERBLADES-84MM

Pair of grinder blades / burrs for SAN MARCO grinder, 84mm – 45mm RH, 9mm thickness, 3 fixing holes

Part No

HOLDERGASKET-6.5MM

COFFEE MACHINE PARTS & ACCESSORIES



Description	

MACHINE FOOT 80 X 48MM

Aluminum and rubber machine extension stand, 80 x 48mm

Part No MACHINEFOOT80X48MM

s sira

Description SIRAI PRESSURE SWITCH 30AMP

Part No PRESSURESWITCH-SIRAI30AMP

Pressure switch P302/6, CE-SEV-ASE-UL Approved, Connection ISO228G ¼"M for pipe diameter 4x6mm, Adjustable scale 0.5 – 1.4 Bar, Fixed Differential 0.15 (+/- 0.06) Bar, Fluid Max Temp 140'C, Max load contacts 220V 7Kw (30A), 400V 12Kw (30A)



Description	Part No
3/8" BSP MALE CERTIFIED RELIEF VALVE BRAND NOSTRALI	RELIEFVALVE- 38BSPM1.8BARNOSTRALI

Boiler valve diameter 3/8M, 1.8 Bar CE-PED, Calibration pressure 1.8 Bar, Steam outlet rate 6.3Kg/H



Description Part No LUCIFER 3 WAY BODY, RUBY SEAL ORIFICE 1.5MM FLUID SOLENOID-LUCIFER3WAYBODY TEMPERATURE -30°C + 140°C

E 131F4304G, Lucifer solenoid body 3 way, Ruby seal orifice 1.5mm, Fluid temp -30'C - +140'C, Outlet diameter 1/8" Conical, Max 10 Bar



Description	Part No
LUCIFER 3 WAY COMPLETE VALVE 240V 50HZ, COIL 9W	SOLENOID- LUCIFER3WAYCOMPLETE
E 131 E 4304. Ruby seal orifice 1.5mm. Fluid temp -40'C - +140'C	C. Outlet diameter 1/8" Conical. M

Max 10 Bar, 240V 50Hz 9W coil



Description	Part
LUCIFER/PARKER 230V 9W COIL WITH DIN PLUG	SOLEN LUCIFERCO
Width 32mm, Height 38mm, Length 43mm, 240V 50Hz 9W coil	

l No NOID-DIL230V9W

COFFEE MACHINE PARTS & ACCESSORIES



Description



MILK JUG S/STEEL 0.6 LITRE MILK JUG S/STEEL 1 LITRE MILK JUG S/STEEL 1.5 LITRE 30Z/85ML STAINLESS STEE

Description

Range of Stainless steel milk jugs from stock, other sizes available, contact sales.



Description S/STEEL SHAKER WITH MESH TOP-6OZ 95MM X 70MM

Stainless steel chocolate shaker with mesh lid



Description

ANALOGICAL THERMOMETER 25MM

Clip on analogue thermometer, Temp scale 0-100'C



Description



Description EXPANSION VALVE 4BAR 6MM STEM X 9MM BARB

Part No

ODE MINI VALVE 2 WAY 1/8" G, 230/240V 18BAR, 5WATT SOLENOID-ODE21JN1R0V23 2 Way valve, Orifice diameter 2.3mm, Temp - 10'C - +140'C, 240V 5W

	Part No
	SSJUG-0.6LITRE
	SSJUG-1LITRE
	SSJUG-1.5LITRE
EL MILK JUG	SSJUG-30Z

Part No

SSSHAKER-95MMX70MM

EXPANSION VALVE 14BAR 6MM PUSHFIT X 9MM BARB

14 Bar Expansion valve, Quick coupling, 6mm push fit x 9mm barb

4 Bar Expansion valve, Quick coupling, 6mm stem x 9mm barb


Part No THERMOMETER-ANALOGICAL25MM

Part No

VALVE-EXPANSION 14BAR

Part No

VALVE-EXPANSION4BAR



MISC

CABLE TIE



Description

BLACK NYLON CABLE TIE.10 BLACK NYLON CABLE TIE. BLACK CABLE TIES 370MM BLACK CABLE TIE 200MM BLACK CABLE TIE 203MM I BLACK CABLE TIE 300MM BLACK CABLE TIE CRADLE,

S/STEEL CLAMPS - Alternative brand to OETIKER, made in Brazil. OTHER SIZES AVAILABLE.



Description		
S/STEEL CLAMP 10.5		
S/STEEL CLAMP 14.5		
S/STEEL CLAMP 17.0		
S/STEEL CLAMP 19.8		

OETIKER OTHER SIZES AVAILABLE.



Description OETIKER CLAMPS 8.8MM-1 OETIKER CLAMPS 9.6MM-OETIKER CLAMPS 12.00MM

OETIKER CLAMPS 12.00MM OETIKER CLAMPS 14.5MM -



Description OET PLIERS SIDE JAW

	Part No
100MM X 2.5MM	CABLETIE-002
250MM X 4.8MM	CABLETIE-003
1 X 7.6MM	CABLETIE-005
X 4.8MM	CABLETIE-006
LONG X 7.6MM WIDE	CABLETIE-007
LONG X 4.8MM WIDE	CABLETIE-008
TAKES UP TO 9MM WIDE TIES	CABLETIEBASE-9MMBLACK

Part No
CLAMP118-10.5
CLAMP118-14.5
CLAMP 118-17.0
CLAMP118-19.8

	Part No
10.5MM 1 EAR STEPLESS	OET 10.5-505R
11.3MM 1 EAR STEPLESS	OET 11.3-505R
M – 14.0MM 1 EAR STEPLESS	OET 14.0-706R
M – 14.5MM 1 EAR STEPLESS	OET 14.5-706R
– 17.00MM 1 EAR STEPLESS	OET 17.0-706R

Part No

OET-PLIERS

MISC

MISC



Description WRAS APPROVED FERNOX EXTERNAL LEAK SEALER AND JOINTING COMPOUND

Part No LEAKSEALER-LS-X



Description FOOD SAFE PURE SILICONE GREASE USED FOR PROTECTION, SEALING AND LUBRICATION FOR ALL METAL, PLASTIC AND RUBBER COMPONENTS.

SILICONEGREASE

Part No



Description	Part No
AMBERSIL SILICONE SPRAY 500ML	SILSPRAY-AMBERSIL



Description	Part No
15MM COPPER TUBE CUT TO 5CMS	WOL508200-2INCH
15MM COPPER TUBE 10CM PIECE	WOL508200-4INCH



Description	
DN 15 WRAS APPROVED, COLD WATER, MULTIJET,	
BRASS BODY WATER METER	

Part No METER-CW-001



Description Part No LABEL & ADHESIVE REMOVER, FOOD GRADE 200ML LABEL REMOVER

Suitable for use in the food and beverage industry the Label & Adhesive Remover from Ambersil is designed for the removal of packaging and transport labels from shipping containers, plastic boxes, and bulk storage (intermediate) druns. Its effective blend of solvent and citrus actively penetrates the paper layer to breakdown the adhesive minimising the requirement for scraping. Warning: Flammable – contains solvents

MISC

MISC



Description AMBERSIL LABEL AND ADHESIVE REMOVER, NON-FOOD GRADE, 200ML.



Description

ANTI-STATIC FOAMING CLEANER 400ML



Description

57

WWW.WATERCARE.CO.UK

Part No

LABELREMOVER-NONFOODGRADE

Part No ANTI-STATIC CLEANER

An anti-static cleaner that can be used to remove general grime and soiling on both hard and soft sur-faces. Ideal for use as a post-maintenance cleaner its formula removes light oils, finger marks and grime whilst inhibiting dust build up thanks to its anti-static properties.

Part No

AMBERSIL WATER BASED LEAK DETECTOR, 400ML

LEAKDETECTORSPRAY

KITTING AND VALUE ADDED SERVICES

AS A WELL-ESTABLISHED UK MANUFACTURER (OVER 35 YEARS) OF CALCIUM TREATMENT UNITS (CTU'S), WATER SOFTENERS AND WATER FILTERS, OVER THE LAST 2 YEARS WE HAVE EXPANDED OUR FACILITIES TO INCLUDE PARTS SALES/DISTRIBUTION AND KITTING/BUILD SERVICES.

UTILISING OUR ENGINEERING EXPERTISE, WE ARE ABLE TO BUILD PRODUCTS TO MEET MOST LIQUID DISPENSE APPLICATIONS, IF YOU HAVE A REQUIREMENT, PLEASE CONTACT US.

WE OFFER A FULL KITTING SERVICE FROM INDIVIDUALLY BAGGED SERVICE KITS, OR MORE COMPLEX FITTINGS/TUBING/VALVE ASSEMBLIES. NOTHING IS BEYOND OUR CAPABILITIES.

FOR MORE INFORMATION OR TO DISCUSS YOUR REQUIREMENTS PLEASE CONTACT OUR SALES TEAM ON: 01279 742059









NOTES



01279 780 250 | info@watercare.co.uk

WaterCare | Regal House | South Road | Harlow | CM20 2BL. | 9@europeanwtrcare | www.watercare.co.uk