



CATALOGUE V14

INTRODUCTION

WATER TREATMENT & SPARES FOR DRINKS DISPENSERS

As well as being the UK's leading independent manufacturer and supplier of water filters, softeners and RO systems, our growing spares division provides everything to install, service and maintain your drinks equipment.

Established in 1995, European WaterCare is a British manufacturing success story. As well as our head office, located within 30 miles of Central London, we now operate successful affiliate businesses in Ireland, Denmark and South Africa.

Optimistic about the future, our determination as a team to always provide the best customer service is matched only by our strength of brand, quality of products and our goal of providing eco-friendly, value for money solutions.

WaterCare are members of:

The Speciality Coffee Association, The Beverage Service Association, The Foodservice Equipment Association, The Catering Equipment Distributors Association, The Water Dispenser & Hydration Association, as well as ENSE.



WHA
Water Dispenser &
Hydration Association
QUALITY • TRUST • STANDARDS

ENSE

ceda
APPROVED
Partner Supplier



FEA Foodservice
Equipment
Association
Information • Involvement • Influence



BSA BEVERAGE
STANDARDS
ASSOCIATION






WATERCARE

CONTENTS


PUMPS.....	04-06
PUMPS/JERRY CANS/FITTINGS	
VALVES.....	07-11
NON-RETURN VALVES, WASHING MACHINE VALVES, PRV, SOLENOID VALVES, WATER BLOCK, INSTALLATION RAILS	
FITTINGS.....	12-18
PLASTIC, BRASS, STAINLESS STEEL, METAL	
TUBING / HOSES.....	19-21
HOSES/SILICONE/PVC/HYDRAVEND/MDPE/BRAIDED PVC/INSULTUBE	
O RINGS / WASHERS.....	22-23
WASHERS, O'RINGS	
SOFT DRINKS / BARGUN SPARES.....	24-30
424 PARTS, SPRINGS, BUTTONS, MISC, PLASTIC, O'RINGS, CONNECTOR/TOOLS, BUTTON CAPS, VALVES	
ELECTRICAL.....	31-32
POWER LEAD	
HYGIENE.....	33-37
TABLETS, POWDER, LIQUID, CLEANING MISC	
WATER FILTERS.....	38-51
WATERCARE, BRITA, BWT, 3M, EVERPURE	
COFFEE MACHINE PARTS AND ACCESSORIES.....	52-55
VALVES, GRINDER BLADES, PRESSURE SWITCHES, ACCESSORIES	
MISC.....	56-59
CABLE TIE, STAINLESS STEEL CLAMPS, OETIKER, MISC	



PUMPS

FLUID TRANSFER PUMPS FOR WATER, DRINKS DISPENSERS
AND COFFEE MACHINES.

PUMPS / JERRY CANS / FITTINGS



PUMPS



Description

JCAN 20L WITH BLACK LID

Part No

JERRYCAN20L

20 Ltr Jerry can, ideal to be used with Flojet Bottled water pump



Description

FLOJET BOTTLED WATER PUMP WITH UNIVERSAL PLUG

Part No

FLOJETBOTTLEDWATERPUMP-UNI

FLOJET DUAL WAND FOR USE WITH FLOJET BOTTLE WATER PUMP RANGE

FLOJETDUALWAND

Universal compact bottled water pump, Float switch for auto shut off, Built in non-return valve to prevent back flow, Positive displacement pump, Universal plug UK/European



Description

FLOJET SYRUP PUMP-PRODUCT OUT 3/8 BARB, GAS IN 1/4 BARB

Part No

FLOJETSyrupPUMP

FLOJET SYRUP PUMP-PRODUCT OUT 3/8 STRAIGHT STEM, GAS IN 1/4 BARB

FLOJETSyrupPUMP-3/8STEM

Flojet CO2 Syrup pump



Description

SHURFLO SYRUP PUMP, GAS OPERATED 3/8" BARB PLASTIC ELBOW, 1/4" BARB S/STEEL ELBOW

Part No

PUMP-SHURFLO166-296-28

CO2 powered syrup pump of superior performance and reliability, Designed for dispensing BIB syrups



Description

200L/H BRASS ROTARY VANE PUMP, BALANCED BYPASS + FILTER

Part No

PUMP-200L/HBRASSRVP

300L/H BRASS ROTARY VANE PUMP, BALANCED BYPASS + FILTER

PUMP-300L/HBRASSRVP

300L/H STAINLESS STEEL ROTARY VANE PUMP

PUMP-300L/HSSTEELRVP

A full range of rotary vane pumps, suitable for carbonation, recirculation, water filtration and espresso coffee machines, Available in brass and stainless steel



Description

BOXED BOOSTER PUMP SHURFLO

Part No

PUMP-BOXEDBOOSTER

A boxed diaphragm pump fitted with pressure switch, Complete with 3/8" push fit connectors and 13A lead

PUMPS

SHURflo


Description	Part No
SHURFLO FITTING GAS PUMP LIQUID 3/8(10MM) JG STEM 3/8" stem shurflo pump fitting	PUMP-FITTING84-038-03



Description	Part No
GP20/12 PUMP 230V 1PH 50HZ GP series electric pump, Port details: 15mm, 3/8" NPT, 3/8" BSPM	PUMP-GP20/12



Description	Part No
G60I202I G60 3/8" WATER BOOST PUMP (SMALL)	PUMP-G60



Description	Part No
HBM6/8 230-1-50 CARB PUMP 3/8" PUSH FIT	PUMP-083933



Description	Part No
VIBRATION PUMP PHOENIX 50N 230V, 53W, 50HZ	PUMP-VIBRATION 230V-53W-50HZ
ULKA PUMP EP8GW FLAME PROOF COIL 230/240V 50HZ 26W FITTINGS 1/8 - 6MM, MAX PRESSURE 15BAR	PUMP-VIBRATION EP8GW230V26W
ULKA PUMP EX4 230/240V 50HZ 48W	PUMP-VIBRATION EX4230V48W
VIBRATORY PUMP EX5, 15 BAR FITTINGS 1/8-6MM MAX TEMP 20° CONNECTOR TERMINAL 6.3 X 0.8MM NSF APPROVED	PUMP-VIBRATION EX548W230V

[Compact ULKA pumps capable of high pressures up to 16 Bar, Compact body and quiet operation makes it suitable for various applications, including syrup pump for vending and post mix and espresso coffee machines.](#)

VALVES

FLUID TRANSFER VALVES AND SOLENOIDS FOR DRINKS DISPENSERS
AND COFFEE MACHINES

**NON-RETURN VALVES / WASHING MACHINE VALVES / PRV
SOLENOID VALVES / WATER BLOCK / INSTALLATION RAILS**



VALVES

NON-RETURN VALVES


Description

15MM COMPRESSION ISOLATOR VALVE (BLACK HANDLE)
WITH DOUBLE CHECK VALVE

Part No

DCVSHUTOFF15MM

Comprehensive range of WRAS approved non-return valves available from stock,
Single and double available.


Description


15MM DOUBLE CHECK VALVE-WRAS APPROVED

Part No

VEMCV155-WRAS

Comprehensive range of WRAS approved non-return valves available from stock,
Single and double available.


WASHING MACHINE VALVES


Description

WASHING MACHINE STRAIGHT VALVE, WRAS APPROVED
15MM COMP X 3/4" CHROME PLATED BRASS

Part No

WMC-STRAIGHT


Description

WASHING MACHINE ANGLE VALVE, WRAS APPROVED
15MM COMP X 3/4" CHROME PLATED BRASS

Part No

WMC-ANGLE


Description

WASHING MACHINE TEE VALVE, WRAS APPROVED 15MM
COMP X 15MM COMP X 3/4" CHROME PLATED BRASS

Part No

WMC-TEE

VALVES

PRV



Description

PLASTIC PRV ADJUSTABLE SUPPLIED SET AT 3 BAR, 1/4" PUSHFIT WITH BRACKET

Part No

PRV-ADJUSTABLE-1/4PF



Description

INLINE WATER PRESSURE REGULATOR 50PSI

Part No

PR01754300C

INLINE WATER PRESSURE REGULATOR 80PSI

PR01754330C

SINGLE IN-LINE WATER PRESSURE REGULATOR 50PSI (3.4 BAR) MAX. 10-13MM (3/8"-1/2") BARB STRAIGHT IN&OUTLET

PRV01754302C

1/2" JG FITTING FOR FLOJET PRESSURE REGULATOR

PRFITTING-21000230B

3/8" JG FITTING FOR G56, K56, G81, G60 SERIES PUMPS AND PR 01752 & 01754 PRESSURE REGS

PRFITTING-21000229B

[Inline fixed water pressure regulator](#)

[Available in 15, 30, 50, 65 and 80 PSI, Please contact sales for details.](#)



Description

BRASS 1/2" FEMALE X 3/4" MALE PRV SET AT 2.8BAR-KIWA

Part No

PRV-1/2FX3/4M-2.8BAR

MINI BRASS 1/2" FEMALE X 3/4" MALE PRV SET AT 2.8 BAR WRAS APPROVED

PRV-1/2FX3/4M-WRAS

[Range of Pressure Reducing Valves in brass + plated brass.](#)
[Set at 2.8 Bar but can be adjusted.](#)



Honeywell

Description

HONEYWELL BRASS PRV 1/2" BSPF C/W GAUGE PORT (SUPPLIED SET AT 3BAR)

Part No

PRV-D04-12A

[Honeywell pressure reducing valve designed to protect appliances against excessive supply pressure.](#)
[Must be installed in horizontal pipework. WRAS approved product.](#)



Description

SLIMLINE 15MM COMPRESSION ADJUSTABLE PRV
FACTORY SET TO 3 BAR

Part No

PRV-ADJ-15MM-SLIM

VALVES

SOLENOID VALVES - We offer a full range of mains water solenoid valves, if what you need is not listed please contact sales



Description

S18, 230V 3/8JG SOLENOID VALVE

[Mains water solenoid valve](#)

Part No

SOLENOID-MWS90826



Description

EKI VALVE 180° 24V 3/8" JG X 3/8" JG

[Mains water solenoid valve](#)

Part No

VALVE-90828EV



Description

EKI VALVE, S18, 12VOLT, 10B, SIL

[Mains water solenoid valve](#)

Part No

VALVE-EVS18-12V-10B-SIL



Description

MULLER 110V DISPENSE VALVE 40.008.

MULLER 24VDC DISPENSE VALVE 40.008.101

[Boiler solenoid valves](#)

Part No

VALVE-M55019

VALVE-M55027



Description

MEMBRANE FOR MULLER VALVES SERIES 40.008 & 46.008

[Replacement membrane for MULLER solenoid valves](#)

Part No

VALVEMEMBRANE-M07699



Description

DISPENSE/BOILER VALVE REPAIR KIT MULLER

[Repair kit for MULLER solenoid valves](#)

Part No

VALVEREPAIR-D48504

VALVES

WATER BLOCK



Description

WATER BLOCK SAFETY DEVICE

Part No

WB001

Leak prevention device

Water Block overflow safety device with 3/4" BSP threads, which is designed to prevent the flow of water greater than set by the adjustment pointer; preventing flooding and leak damage.



Description

WATERBLOCK EXTERNAL RESET DEVICE
3/4" BSPF X 3/4" BSPM

Part No

WB-RESEDEVICE

Water Block external reset device, This enables an easy reset without dismantling an installation
For use with Water Block overflow safety device

INSTALLATION RAILS - Bespoke installation rails, if you do not see the version you require contact sales.



Description

WATER PRESSURE KIT (PRV, DCV) 2.8 BAR, 15MM PF INLET X 1/2" PF OUTLET

Part No

PRVDCV15-2.8BAR

PRV, DCV KIT WITH BLACK HANDLE 15MM COPPER INLET X 1/2" PUSHFIT OUTLET

PRVDCVBH12X15MM

PRV, DCV WITH BLACK HANDLE SHUTOFF, WATERBLOCK KIT 1/4" PUSHFIT OUTLET X 15MM COMPRESSION INLET

PRVWBKIT14X15MM

WATER PRESSURE REGULATOR/WATERBLOCK 2.8BAR INSTALL KIT

PRVWBRESET15MMX12

PRV, DCV WITH BLACK HANDLE SHUTOFF, WATERBLOCK RESET, 15MM COPPER INLET

PRVWBRESETKIT15MM

PRV, DCV WITH BLACK HANDLE, WATERBLOCK KIT, 12MM PUSH FIT OUTLET

PRVDCVWBKIT12MMPF


DCV WITH BLACK HANDLE, PRV - WRAS APPROVED, WATERBLOCK, EXTERNAL RESET DEVICE, 3/8" PF OUTLET.

PRVWBRESET15MMX3/8PF

FITTINGS

EXTENSIVE RANGE OF PLASTIC, BRASS AND STAINLESS STEEL FITTINGS
AVAILABLE FROM STOCK. WATERCARE ARE PROUD TO BE A
MASTER DMFIT DISTRIBUTER

PLASTIC / BRASS / STAINLESS STEEL / METAL



DM FITTINGS

DMfit®

**WATERCARE IS A MASTER SUPPLIER OF DM FITTINGS
FOR USE WITH SOFT DRINKS SYSTEMS, COFFEE AND VENDING MACHINES.**



Our speedfit plumbing fittings and soft drink beverage connections make installation and maintenance so easy.

Ideal for coffee and vending machine installations and well as soft drink dispense systems.

They are a great value alternative to the John Guest Speedfit range.

THE RANGE INCLUDES:

- DM Fittings
- DM Water Fittings
- Male Connectors
- Female Connectors
- Speedfit Plumbing Fittings
- Polypropylene Fittings
- Soft Drink Beverage Connectors
- Beverage Installation Fittings
- Fluid Push Fit Connectors
- Check Valves
- Water Installation Fittings
- Vending Installation Fittings
- Coffee Installation Fittings
- Push Fit Connectors
- Pressure Reducing Valves
- Stainless Steel Fittings
- Oetiker Clamps and Clips
- JG LLDPE Tubing
- Flojet Bottles Water Pump
- Installation Fittings
- Push to Connect Fittings

DMfit produce a large range of quick-connect push fit fittings & tubing, which are great value alternatives to the John Guest Speedfit range.

A huge variety of fittings are available and they are designed for quick and convenient assembly and easy separation and re-use.

DM Fittings are suitable for hot water (up to 65C) and cold water applications only.

Sizings are available in Imperial (inches) and metric (millimetres)

DMfit fittings and valves feature an oval collet design for quick connections in plumbing, food service, soft drink dispensers and pneumatic systems.

To learn more visit:

www.watercare.co.uk/dm-fittings-fluid-push-fit-connectors



[VIEW CATALOGUE](#)



[VIEW PRICE LIST](#)



FITTINGS

PLASTIC


Description

3/4 BSPF NYLON NUT (19MM BACK HOLE)

Part No

PLASTIC-3/4BSPNUT


Description

STRAIGHT 3/4" RETAINED 10.8 NYL WITH WASHER

Part No

PLASTIC-HOSESTRAIGHT3/4


Description

ELBOW 3/4" RETAINED 10.8 NYL WITH WASHER

Part No

PLASTIC-HOSEELBOW3/4


Description

3/4 BSPM X 3/8 BSPF WHITE ACETAL FITTING

Part No

EWC00022


Description

DELRIN 3/4" BSP FEMALE X 3/8" BSP MALE FITTING

Part No

PLASTIC-34BSPFX38BSPM


Description

PLASTIC 1/4 X 1/4 BARB STRAIGHT

Part No

PLASTIC-BARBS1414

PLASTIC 3/8 X 3/8 BARB STRAIGHT

PLASTIC-BARBS3838

PLASTIC 3/8 X 1/4 BARB STRAIGHT

PLASTIC-BARBS3814

PLASTIC 1/4 X 1/4 X 1/4 BARB TEE

PLASTIC-BARBT141414

PLASTIC 3/8 X 3/8 X 3/8 BARB TEE

PLASTIC-BARBT383838

PLASTIC 3/8 X 1/4 X 3/8 BARB TEE

PLASTIC-BARBT381438

PLASTIC 1/4 X 1/4 BARB ELBOW

PLASTIC-BARBE1414

PLASTIC 3/8 X 3/8 BARB ELBOW

PLASTIC-BARBE3838


Description

PLASTIC 3/8 X 3/8 X 3/8 BARB Y

Part No

PLASTIC-BARBY383838

FITTINGS

PLASTIC

**Description**

3/4" BSPM X 3/4" BSPM ABS NIPPLE

Part No

EW1401

**Description**

3/4" BSPM X 3/8" BSPM ABS NIPPLE

Part No

EW1402

**Description**

3/4" BSPM X 3/8" STEM ABS NIPPLE

Part No

EW1403

**Description**

3/8BSPM X 3/8BSPM ABS NIPPLE

Part No

EW1410

FITTINGS

BRASS


Description

15MM BRASS STEM WITH SILICONE WASHER
AND 3/4 FEMALE NUT

Part No

BRASS 15MMSTEM34NUT


Description

BRASS 15MM STEM X 1/2" BSPM (SHORT) ADAPTOR

Part No

BRASS 15MMSTEMX12
BSPMSHORT


Description

3/4" BSPM X 15MM STEM DZR BRASS

Part No

BRASS 15MMSTEMX34BSPM


Description

15MM BRASS COMPRESSION ELBOW

Part No

VEMCE15


Description

15MM BRASS COMPRESSION TEE EQUAL

Part No

VEMCT15


Description

15MM BRASS COMPRESSION X 3/4" BSPF

Part No

BRASS 15MMCX34BSPF


Description

BRASS 15MM COMPRESSION X 3/4" BSPM

Part No

BRASS 15MMCX34BSPM


Description

15MM BRASS END STOP

Part No

BRASS 15MMSTOPEND

FITTINGS

STAINLESS STEEL



Description	Part No
S/STEEL BARB ELBOW 1/4 EQUAL	SSBARBE1414
S/STEEL BARB ELBOW 3/8 EQUAL	SSBARBE3838



Description	Part No
S/STEEL BARB STRAIGHT 1/4 EQUAL	SSBARBS1414
S/STEEL BARB STRAIGHT 3/8 X 1/4	SSBARBS3814
S/STEEL BARB STRAIGHT 3/8 EQUAL	SSBARBS3838
S/STEEL STRAIGHT 3/8" BARB, 140MM OVERALL LENGTH	SSBARBS3838-140MM



Description	Part No
S/STEEL BARB TEE 1/4 EQUAL	SSBARBT141414
STAINLESS STEEL BARB TEE 3/8 X 1/4 X 3/8	SSBARBT381438
S/STEEL BARB TEE 3/8 EQUAL	SSBARBT383838



Description	Part No
S/STEEL BARB U BEND 1/4 X 1/4	SSBARBU1414
S/STEEL BARB U 3/8 X 3/8	SSBARB3838(SSU0606)



Description	Part No
S/STEEL BARB Y PIECE 1/4 X 1/4 X 1/4	SSBARBY141414
S/STEEL BARB Y PIECE 3/8 X 3/8 X 1/4	SSBARBY381438
S/STEEL BARB Y PIECE 3/8 X 3/8 X 3/8	SSBARBY383838

FITTINGS

METAL


Description

3/8 X 1/8 M/F REDUCER TAPER

Part No

MW2104002


Description

F-E 6MM X 1/8" MALE TAPER METAL ELBOW

Part No

MW2F39C08


Description

6MM PUSHFIT X M5 PARALLEL MALE THREAD ELBOW

Part No

MW2L31007


Description

4MM PUSHFIT X 1/8" BSP MALE PARALLEL, SWIVEL ELBOW NICKEL PLATED BRASS

Part No

MW2F31002


Description

4MM PUSHFIT X 1/8" MALE STRAIGHT PARALLEL THREAD

Part No

MW2L01002


Description

6MM PUSHFIT X 1/8" MALE STRAIGHT PARALLEL THREAD

Part No

MW2L01007


Description

6MM PUSHFIT X 1/4" MALE STRAIGHT PARALLEL THREAD

Part No

MW2L01008


Description

4MM PUSHFIT X 1/8" FEMALE STUD

Part No

MW2L02001


Description

6MM PUSHFIT X 4MM PUSHFIT REDUCING STRAIGHT METAL


Part No

MW2L3301

TUBING / HOSES

FLUID TRANSFER TUBING FOR LIQUID/DRINKS DISPENSE.

**HOSES/SILICONE/PVC/HYDRAVEND/MDPE
BRAIDED PVC/INSULTUBE**



TUBING / HOSES

HOSES - Hydrovend hoses available in 6mm ID and 10mm ID, various lengths and any fitting required



Description

HV10 1500MM 3/4" PLASTIC ELBOW RETAINED X 3/4" PLASTIC STRAIGHT RETAINED

Part No

HOSE-SPECIAL-001



Description

HV10 1500MM 3/4" PLASTIC ELBOW & PLASTIC NUT 15MM BRASS STANDPIPE

Part No

HOSE-SPECIAL-005



Description

HV6 600MM 3/4" BRASS ELBOW X 1/4" BRASS STRAIGHT BRASS NUTS

Part No

HOSE-SPECIAL-006



Description

HV6 2000MM STRAIGHT 1/4" FEMALE WITH EPDM WASHER TO 15MM SP

Part No

HOSE-SPECIAL-007

SILICONE - Various colours and sizes available, please contact sales



Description

BRAIDED SILICONE TRANSLUCENT 4MMID X 9MMOD

Part No

SILBRAIDTRANS4MMIDX9MMOD

TRANSLUCENT PLATINUM SILICONE 100MM WIDE X 2.6MM THICK 60SHORE

SILTRANS2.6MM100MM

TRANSLUCENT PLATINUM 60 SHORE SILICONE TUBING 6MMID X 9MMOD

SILTRANS6MMIDX9MMOD

TRANSLUCENT PLATINUM 60SHORE SILICONE TUBE 8MMID X 12MMOD

SILTRANS8MMIDX12MMOD

TRANSLUCENT PLATINUM 60SHORE SILICONE 9MMID X 15MMOD

SILTRANS9MMIDX15MMOD

TRANSLUCENT PLATINUM 60 SHORE SILICONE TUBING 10MMID X 14MMOD

SILTRANS10MMIDX14MMOD

TRANSLUCENT PLATINUM 60 SHORE SILICONE TUBING 12MMID X 16MMOD

SILTRANS12MMIDX16MMOD

TRANSLUCENT PLATINUM 60SHORE SILICONE TUBE 3MMID X 6MMOD

SILTRANS3MMIDX6MMOD

TRANSLUCENT SILICONE TUBING 60SHORE PLATINUM CURED 7MMID X 2MM WALL (11MMOD) COIL LENGTH 25METRES

SILTRANS7MMIDX11MMOD

WHITE SILICONE TUBING 60SHORE PLATINUM CURED 7.8MM ID X 2.1MM WALL (12MMOD) COIL LENGTH 25METRES

SILWHITE7.8MMIDX12MMOD

WHITE PLATINUM CURED SILICONE 60SHORE 8MMID X 12MMOD SUPPLIED IN 50M COILS (ONLY SOLD IN FULL COILS)

SILWHITE8MMIDX12MMOD

WHITE PLATINUM 70SHORE SILICONE TUBE 4MMID X 8MMOD

SILWHITE4MMIDX8MMOD

GREY PLATINUM CURED SILICONE 60SH FDA 8MMID X 13MMOD (50M COILS)

SILGREY8MMIDX13MMOD

TUBING / HOSES

TUBING



Description	Part No
HYDRAVEND 10 (50METRE COILS)	TUBING-HV10
12.5/18.5 VEND HOSE	TUBING-12.5/18.5VENDHOSE
BLACK PVC WOUND DUCTING/TUBING 16MMID X 20.7MMOD	TUBING 16MMIDPVCSPIRAL
PE ULTRA NATURAL TUBING 6.7MM X 9.5MM (3/8" OD, 100M COILS)	TUBING400019.100BVX
1/2OD X 3/8ID BLACK MDPE TUBING (30M COIL)	TUBING401024FBVX
GREY CO2 PE ULTRA TUBING 3/8" OD (100METRE COILS)	TUBING405019BVX
5/16" NATURAL BEERLINE TUBING 100M COILS	TUBING410002.100BVX
PE ULTRA NATURAL 0.117" X 3/16 100M COIL	TUBING410005.100BVX
MDP BLUE 9.5MM X 6.7MM (3/8" OD)	TUBING413019BVX
3/8 CLEAR FOOD GRADE PVC TUBING (10MM X 16MM) 30 METRE COILS	TUBING440026G
PVC BRAIDED HOSE, CLEAR FOOD GRADE 10MMID X 16MMOD (30M COIL)	TUBINGPVCBRAIDED10MMIDX16MMOD
PVC BRAIDED HOSE, CLEAR FOOD GRADE 12.5MMID X 18MMOD (30M COIL)	TUBINGPVCBRAIDED12.5MMIDX18MMOD
GLYCOL TUBE BLACK 10MMID X 15MMOD (HEAT DUMP TUBING)	TUBING85TD621045.30BV



Description	Part No
BLACK INSULATION TUBE 10MM ID X 6MM WALL 46 METRE COIL	INSULTUBE10IDX6MMWALL
BLACK INSULATION TUBE 10MM ID X 9MM WALL 34 METER COIL	INSULTUBE10MMIDX9MMWALL
BLACK INSULATION TUBE 12MM ID X 9MM WALL (1/2") 31 METRE COIL	INSULTUBE12IDX9MMWALL




Description	Part No
K-FLEX ADHESIVE INSULATION TAPE 50MM WIDE X 3MM THICK X 15 METRE LONG	TAPE-ADHESIVE50MMX3MMX15M

O'RINGS / WASHERS

FULL RANGE OF O-RINGS AND WASHERS AVAILABLE FROM STOCK.
IF YOU DO NOT SEE WHAT YOU REQUIRE PLEASE CONTACT
SALES AS ALL SIZES AND MATERIALS AVAILABLE.

WASHERS / O'RINGS



O RINGS / WASHERS

WASHERS


Description

3/4" BLACK WASHER NITRILE NBR70

Part No

3/4BLACK-WASHER


Description

400-867-4490-41E 12MM
GERMAN SELF CENTRE BONDED WASHER

Part No

WASHER-CO2BOTTLE


Description

3/4" RUBBER WASHER
WITH S/S GAUZE FILTER MESH NBR70

Part No

WASHER-FILTER-3/4


Description

3/4" WHITE SILICONE WASHER 3/4 X 14MM X 2.25MM

Part No

WASHER-3/4WHITESILICONE


Description

1/4" FLARE NYLON WASHER

Part No

WASHER-1/4FLARE


Description

3/8" FIBER WASHER

Part No

WASHER-FIBER-3/8

O'RINGS


Description

12MM X 2MM NITRILE 70 O RING

Part No

ORING-12X2

BS1806-010 6.7MMID X 1.78MM SECTION VITON O RING

ORING-6.7X1.78

EM072X05N70

ORING-72X5

82.14MM X 3.53MM O RING NBR70 (IX V1 HOUSING)

ORING-82.14X3.53

If you do not see the size you require please contact Parts Division Sales Team for a quotation.

SOFT DRINKS / BARGUN PARTS

WE STOCK ALL WUNDERBAR ORIGINAL SPARE PARTS.
CONTACT SALES DEPARTMENT FOR ANYTHING NOT LISTED.

**424 PARTS / SPRINGS / BUTTONS / MISC / PLASTIC / O'RINGS,
CONNECTORS / TOOLS / BUTTON CAPS / VALVES**



SOFT DRINKS / BARGUN SPARES

424 VALVE PARTS



Description

DIFFUSER INSERT SET 424 SERIES SODA

Part No

424VALVE-DIFFUSERINSERT



Description

CLEAR NOZZLE FOR 424 SERIES SODA

Part No

424VALVE-NOZZLE



Description

SYRUP SEPARATOR S-TUBE (424 VALVE)

Part No

SYRUPSEP-424VALVE

SPRINGS/BUTTONS/MISC



b



c



d



Description

a BUTTERFLY PLATE 1 HOLE RIGHT

b BUTTERFLY PLATE 3 HOLE RIGHT

c BUTTERFLY PLATE 4 HOLE RIGHT

d BUTTERFLY PLATE 4 HOLE LEFT

Part No

BARGUN-PH10-9-1HR

BARGUN-PH10-9-3HR

BARGUN-PH10-9-4HR

BARGUN-PH10-9-4HL



Description

H RETAINER PLATE

Part No

BARGUN-PH10-109



Description

M4 GREY BUTTERFLY RETAINER

Part No

BARGUN-PH10-8-M4



Description

PLUG LOCKING ACCESS WITH FLANGE

Part No

BARGUN-PH10-136



Description

TUBE FERRULE POLYPROP

Part No

BARGUN-PH10-17



Description

YELLOW TUBE FERRULE CAP, BARRIER TUBING

Part No

BARGUN-PH10-18-B

SOFT DRINKS / BARGUN SPARES

SPRINGS/BUTTONS/MISC


Description

STEM SPRING

Part No

BARGUN-PH10-21


Description

BUTTON PLATE SCREW. STAINLESS STEEL, 6-32-1/2"

Part No

BARGUN-SCREW-PH10-3

SCREW HANDLE HEEL 1/2"

BARGUN-PH10-13


Description

BUTTON STEM SNAP-ON

Part No

BARGUN-PH10-73


Description

PREMIX SNAP ON BUTTON LONG

Part No

BARGUN-PH10-75


Description

SNAP ON OVAL BUTTON

Part No

BARGUN-PH10-76


Description

SANTOPRENE VALVE STEM

Part No

BARGUN-PH10-89

SOFT DRINKS / BARGUN SPARES

PLASTIC PARTS



Description	Part No
BLACK SPLIT HANDLE HEEL MK2 & 2.5	BARGUN-PH10-137
BLACK SPLIT HANDLE HEEL MK 4	BARGUN-PH10-138



Description	Part No
BLACK 10B BUTTON PLATE	BARGUN-PH10-2
BLACK 8B BUTTON PLATE	BARGUN-PH10-2-8



Description	Part No
BLACK BOTTOM PLATE	BARGUN-PH10-27



Description	Part No
BLACK BUTTON PLUG	BARGUN-PH10-37



Description	Part No
BLACK EXTENDED NOZZLE MK2	BARGUN-PH10-93



Description	Part No
BLACK EXTENDED TWIST LOCK NOZZLE MK2.5 & 3	BARGUN-PH10-94



Description	Part No
UNIVERSAL SYRUP SEPARATOR	SYRUPSEP-PH10-83
INPUT MODULE MK4	BARGUN-PM10-5-M4

SOFT DRINKS / BARGUN SPARES

O'RINGS



Description	Part No
STEM O RING RED SILICONE (1.5 X 1.5)	BARGUN-PH10-20-E
HAT O RING	BARGUN-PH10-26
DIFFUSER O RING MK2 (26.57 X 3.53MM)	BARGUN-PH10-30
DIFFUSER O RING MK2.5 & 3 (28.5 X 2.62MM)	BARGUN-PH14-30-E
TUBE SEAL O RING	BARGUN-PH10-19
O RING INLET FITTING (BLACK)-MANIFOLD	BARGUN-PM 10-14
BRIX SCREW O RING	BARGUN-PM10-6

CONNECTORS / TOOLS



Description	Part No
TOOL FOR O RING INSERT	BARGUN-PH10-36



Description	Part No
BAG IN BOX CONNECTOR GREEN ENCORE 3/8" BARB	BIB-GREENENCORE



Description	Part No
BRIX CUP, MULTIPLEX RATIO 5:1	BRIXCUP-99-5509



Description	Part No
BRIX CUP 5:1 AND 5.5:1	BRIXCUP-99-9012



Description	Part No
TAPRITE CARBONATION TESTER PC SUGARED PEPSI PRODUCTS	CARBTESTER

SOFT DRINKS / BARGUN SPARES

CONNECTORS / TOOLS



Description

PYTHON CUTTERS

Part No

CUTTERS-PYTHON



Description

PREMIX DISCONNECT LIQUID 1/4" FLARE BLACK

Part No

DISCONNECT27-1100-99

PREMIX DISCONNECT GAS 1/4" BARB GREY

DISCONNECT27-1102-77

PREMIX DISCONNECT LIQUID 1/4" BARB BLACK

DISCONNECT27-1102-99

PREMIX DISCONNECT LIQUID 3/8" BARB BLACK

DISCONNECT27-1103-99



Description

BIB CONNECTOR (33020)

Part No

QCDII



CO2

COMBI

Description

CO2 SPANNER

Part No

SPANNERCO2

COMBINATION SPANNER

COMBINATIONSPANNER



Description

STRAP FOR CO2 BOTTLE

Part No

STRAP-CO2BOTTLE



Description


1" BLACK TAPE 20M ROLL

Part No

TAPE001

2" BLACK TAPE 33M ROLL

TAPE002



Description

3 WAY CORDIAL VALVE SWAN NECK BARB INLET

Part No

VALVE-CORDIAL003

3 WAY CORDIAL VALVE SHORT SPOUT, BARB INLET

VALVE-CORDIAL003SHORTSPOUT

2 WAY CORDIAL VALVE SWAN NECK, BARB INLET B & G

VALVE-CORDIAL002BG

2 WAY CORDIAL VALVE SHORT SPOUT, BARB INLET B & G

VALVE-CORDIAL002BGSHORTSPOUT

SOFT DRINKS / BARGUN SPARES

BUTTON CAPS



Description	Part No
ROUND SNAP ON BUTTON CAP GREEN/WHITE A	BARGUN-PH10-74-001-A
ROUND SNAP ON BUTTON CAP WHITE/BLACK C	BARGUN-PH10-74-004-C
ROUND SNAP ON BUTTON CAP WHITE/BLACK G	BARGUN-PH10-74-010-G
ROUND SNAP ON BUTTON CAP WHITE/BLACK L	BARGUN-PH10-74-016-L
ROUND SNAP ON BUTTON CAP ORANGE/BLACK O	BARGUN-PH10-74-019-ORANGE-O
ROUND SNAP ON BUTTON CAP WHITE/BLACK T	BARGUN-PH10-74-035-T
ROUND SNAP ON BUTTON CAP RED/WHITE CRAN	BARGUN-PH10-74-068-CRAN
ROUND SNAP ON BUTTON CAP WHITE/BLACK DIET	BARGUN-PH10-74-073-DIETW/BLK
ROUND SNAP ON BUTTON CAP ORANGE	BARGUN-PH10-74-116-ORANGE
ROUND SNAP ON BUTTON CAP WHITE/BLACK ENRGY	BARGUN-PH10-74-170-ENRGY
ROUND SNAP ON BUTTON CAP RED/WHITE POWER	BARGUN-PH10-74-183-POWER
ROUND SNAP ON BUTTON CAP GREEN	BARGUN-PH10-74-186-GREEN
ROUND SNAP ON BUTTON CAP PURPLE	BARGUN-PH10-74-188-PURPLE
ROUND SNAP ON BUTTON CAP BLACK/WHITE MAX	BARGUN-PH10-74-282-MAX
ROUND SNAP ON BUTTON CAP BLUE/WHITE PEPSI	BARGUN-PH10-74-123-PEPSI
ROUND SNAP ON BUTTON CAP BROWN/WHITE GBEER LETTERS	BARGUN-PH10-74-240-GBEER
OVAL SNAP ON BUTTON CAP SODA	BARGUN-PH10-77-500-SODA
OVAL SNAP ON BUTTON CAP WATER	BARGUN-PH10-77-501-WATER




Description	Part No
FLOJET CHANGE OVER VALVE	CHANGEOVER01603230A

ELECTRICAL

ELECTRICAL PARTS FOR DRINKS DISPENSERS AND COFFEE MACHINES.

CORD SETS / PLUGS



ELECTRICAL



Description	Part No
BLACK 2METRE LEAD UK 13A MOULDED 1.5MM SQ.	LEAD-2MUK13A1.5MMSQ
BLACK 2M 5AMP MOULDED PLUG 3 CORE X 0.755MMSQ STRIPPED END	LEAD-2MUK5A0.75MMSQ

Power cords available in all types and lengths. Contact sales if you do not see what you need.

HYGIENE

COMPLETE RANGE OF CLEANING AND DISINFECTING PRODUCTS FOR COFFEE, VENDING AND WATER APPLICATIONS, PROVIDING SAFE CLEANING SOLUTIONS. MSDS AND COSHH SHEETS AVAILABLE UPON REQUEST.

TABLETS / POWDER / LIQUID / CLEANING MISC



HYGIENE

TABLETS


Description

CHLORINE TABLETS 1.7G 200 TO A TUB, 6 TUBS TO A CASE

Part No

CHLORINETABLETS


Description

100 X 2.4GRAM ESPRESSO CLEANING TABLETS 18MM DIA X 6MM DEPTH (BOX QTY 6 TUBS)

Part No

 TABLES-ESPRESSOCLEANING
18MMX6MM

Dissolving times for Java Tablets

90°C = 00:25 / 80°C = 00:38 / 70°C = 01:50 / 60°C = 02:35


Description

ESPRESSO COFFEE MACHINE SMALL CLEANING TABLETS, 13MM, 1.1G WEIGHT

Part No

 TABLES-ESPRESSO
CLEANINSMALL

Description

CAFIZA E31 ESPRESSO MACHINE CLEANING TABLETS - 2G (100) 12 IN A BOX

Part No

URNEX-E31BREWERTABLETS


Description

URNEX M61 MILK CLEANING TABLETS 120 TABLETS IN A TUB 4G TABLETS 12 IN A BOX

Part No

URNEX-M61TABLETS

LIQUID


Description

PHOSPHORIC ACID LIQUID DESCALER 1 LITRE BOTTLE

Part No

DESCALER-LIQUID1L


Description

PHOSPHORIC ACID ALL PURPOSE RAPID DESCALER 5 LITRE

Part No

DESCALER-PHOSACID5L

HYGIENE

LIQUID



Description

STAINLESS STEEL CLEANER 750ML SPRAY BOTTLE

Part No

CLEANER-SSTEEL



Description

BLUE MILKLINE CLEANER WATERCARE BRANDED
(BOX QTY 12 X 1L)

Part No

MILKLINE-001BLUE



Description

GENERAL SURFACE CLEANER 750ML

Part No

SANITIZER-SPRAY



Description

VENDING AND BREWER CLEANER 1 LITRE

Part No

BREWERCLEANER1



Description

FOAMING DESCALER 700ML SPRAY

Part No

DESCALER-FOAMINGSPRAY700ML

FOAMING DESCALER 5 LITRE READY TO USE

DESCALER-FOAMIN5L-RTU

HYGIENE

LIQUID



Description

ANTI-BACTERIAL SANITISER READY TO USE 700ML SPRAY BOTTLE
ANTI-BACTERIAL SANITISER CONCENTRATE 5 LITRE BOTTLE

Part No

SANITISER-ANTIBAC700ML
SANITISER-ANTIBAC5LCONC

POWDER



Description

BOILER DESCALER SULPHAMIC ACID 1 KG

Part No

DESCALER-POWDERBOILER1KG



Description

DETANNIN POWDER 500G TUB WITH SCOOP

Part No

DETANNIN500G




Description

ESPRESSO/BACKFLUSH CLEANING POWDER 500GM TUB

Part No

CLEANER-BACKFLUSH

CLEANING MISC



Description

BRUSH WHITE OVERALL LENGTH 318MM X
BRISTLE LENGTH 76MM X BRISTLE WIDTH 7.9MM
BRUSH BLUE OVERALL LENGTH 305MM X
BRISTLE LENGTH 95MM X BRISTLE WIDTH 9.5MM
BRUSH BLUE OVERALL LENGTH 356MM X
BRISTLE LENGTH 65MM X BRISTLE WIDTH 4.8MM
BRUSH BLUE OVERALL LENGTH 500MM X
BRISTLE LENGTH 76MM X BRISTLE WIDTH 4.8MM

Part No

BRUSH-WHITE318X76X7.9
BRUSH-BLUE305X95X9.5
BRUSH-BLUE356X65X4.8
BRUSH-BLUE500X76X4.8



Description

SET OF FOUR SMALL CLEANING BRUSHES

Part No

BRUSH-SET4

[Please call for sizes and details](#)



Description

SET OF 2 SILICONE BRUSHES BLUE,
OVERALL LENGTH 240MM, BRISTLE LENGTH 95MM,
1 X 6MM BRISTLE WIDTH, 1 X 8MM BRISTLE WIDTH.

Part No

BRUSHSET-X2SILICONE

HYGIENE

CLEANING MISC



Description

BLUE ROLL 2 PLY, 10" WIDE, 40M PER ROLL

Part No

BLUEROLL-2PLY



Description

LINT FREE DRY WIPE 16" X 11.5" 1 = BOX OF 350 WIPES

Part No

WIPE-DRYLF-BOX



Description

CLEAR POLY COOLER BAG 22" X 34" X 44", 120 GAUGE
(1 = BOX OF 200 BAGS)

Part No

BAG-CLEAR22X34X44



Description

BLUE POWDER FREE VINYL GLOVES SIZE MEDIUM,
BOX OF 100 GLOVES

Part No

GLOVES-PFBLUE-VINYL-MED

BLUE POWDER FREE VINYL GLOVES SIZE LARGE,
BOX OF 100 GLOVES

GLOVES-PFBLUE-VINYL-LARGE



Description

BLUE POWDER FREE NITRILE GLOVES SIZE MEDIUM,
BOX OF 100 GLOVES

Part No

GLOVES-PFBLUE-NITRILE-MED

BLUE POWDER FREE NITRILE GLOVES SIZE LARGE,
BOX OF 100 GLOVES

GLOVES-PFBLUE-NITRILE-LARGE

WATER FILTERS

WATERCARE / BRITA / BWT / 3M / EVERPURE



WATER FILTERS

IX WATER
ECO FILTRATION

WATERCARE IXWATER



Description

IXCAFE LARGE SYSTEM

IXCAFE MEDIUM SYSTEM

IXCAFE LARGE REFILL

IXCAFE MEDIUM REFILL

Code

IXCAFE-L

IXCAFE-M

IXCAFEREFILL-L

IXCAFEREFILL-M



Description

IXICE LARGE SYSTEM

IXICE MEDIUM SYSTEM

IXICE LARGE REFILL

IXICE MEDIUM REFILL

Code

IXICE-L

IXICE-M

IXICEREFILL-L

IXICEREFILL-M



Description

IXTASTE LARGE SYSTEM

IXTASTE MEDIUM SYSTEM

IXTASTE LARGE REFILL

IXTASTE MEDIUM REFILL

Code

IXTASTE-L

IXTASTE-M

IXTASTEREFILL-L

IXTASTEREFILL-M



Description

IXVEND LARGE SYSTEM

IXVEND MEDIUM SYSTEM

IXVEND LARGE REFILL

IXVEND MEDIUM REFILL

Code

IXVEND-L

IXVEND-M

IXVENDREFILL-L

IXVENDREFILL-M



Description

IXSTEAM LARGE SYSTEM

IXSTEAM MEDIUM SYSTEM

IXSTEAM LARGE REFILL

IXSTEAM MEDIUM REFILL

Code

IXSTEAM-L

IXSTEAM-M

IXSTEAMREFILL-L

IXSTEAMREFILL-M

WATER FILTERS



WATERCARE CTUs



Description	Code New	CTU Packs* Code (2Port)
CTU PRIMA FOR COFFEE EQUIPMENT 5 LITRE	PRIMA-5	PRIMA-5-PK
CTU PRIMA FOR COFFEE EQUIPMENT 10 LITRE	PRIMA-10	PRIMA-10-PK
CTU PRIMA FOR COFFEE EQUIPMENT 18 LITRE	PRIMA-18	PRIMA-18-PK

*Packs include meter and hoses.



Description	Code
DN15 COLD WATER MULTIJET WATER METER	METER-CW-001

WATER FILTERS



BRITA Other Brita filters available upon request, please contact sales



Description

S/C 1002730 - PURITY C50 QUELL

Part No

BRITC50



Description

BRITA AQUAQUELL PURITY C 150 REPLACEMENT CARTRIDGE UP TO 1700 LITRE CAPACITY AT 10 °KH, 4°C - 30°C, 8.6 BAR OPERATING PRESSURE

Part No

BRITC150

BRITA AQUAQUELL PURITY C 300 REPLACEMENT CARTRIDGE UP TO 3400 LITRE CAPACITY AT 10 °KH, 4°C - 30°C, 8.6 BAR OPERATING PRESSURE

BRITC300

BRITA AQUAQUELL PURITY C 500 REPLACEMENT CARTRIDGE UP TO 7000 LITRE CAPACITY AT 10 °KH, 4°C - 30°C, 8.6 BAR OPERATING PRESSURE

BRITC500



Description

BRITA C1100

Part No

BRITC1100



Description

BRITA C500 FINEST

Part No

BRITC500FINE



Description

BRITA PURITY C FRESH CARTRIDGE

Part No

BRITCFRESH



Description

S/C 1002952 - FILTER HEAD 30% BLEND FOR PURITY C RANGE

Part No

BRITHC30

FILTER HEAD 0-70% BLEND FOR PURITY C RANGE

BRITHC0-70



Description

S/C 298900 - BRITA PURITY C FLOW METER

Part No

BRITMETER

WATER FILTERS



BWT HEADS



FEATURES

Can be fixed to any BWT water+more filter. A non-return valve on the inlet side prevents any ingress of water into the drinking water system and a similar valve on the outlet side seals the filter off from the end device (e.g. coffee machine). Both non-return valves close if there is a sudden drop in pressure, which prevents leakage and water discharge during replacement of the filter. The dual system is rounded off by the BWT bestflush bleed valve.

Description	CONNECTION	Part No
BWT FILTER HEAD	LOCKABLE BYPASS, AUTO SHUT-OFF WITH NRV'S. 3/8" BSP	BWT-HEAD



FEATURES

With BWT besthead FLEX, the filter head with the world's most flexible connector technology, installing the filter is really easy, even where space is tight. Its innovative FLEX technology with its configured angle adjustment in 30° increments allows for the best possible orientation of the connector hoses, even where space is at a premium.

Description	CONNECTION	Part No
BWT BESTHEAD FLEX	3/8" - OTHER SIZES AVAILABLE	BWT-BESTHEADFLEX

BWT BESTMAX



FEATURES

Raw water needs to be optimised for the specific requirements of the catering industry (HORECA). BWT bestmax provides you with a universal filter system that fulfils this task simply and efficiently. The filter system consists of a filter cartridge with five filter levels and a BWT besthead filter head that is screwed on. The blend partial flow (0–3) is set on the filter head depending on the water hardness and requirement.

APPLICATIONS: For coffee and steam ovens

Description	Dimensions HxWmm	Capacity (ltrs) Vending	Capacity (ltrs) Coffee MC + Steam	Capacity (ltrs) Steam Oven/ICE	Part No
BWT BESTMAX M	500 x 130	3800	2835	2180	BWT-MAX-M
BWT BESTMAX L	530 x 145	5200	3885	2985	BWT-MAX-L
BWT BESTMAX XL	530 x 145	6800	5080	3905	BWT-MAX-XL
BWT BESTMAX 2XL	600 x 185	12000	8965	6895	BWT-MAX-2XL



WATER FILTERS

BWT BESTMAX PREMIUM



FEATURES

BWT Bestmax PREMIUM is a filter system with which you can refine raw water to produce gourmet water that is outstandingly suited to making hot beverages such as coffee, espresso and tea. The modular multi-stage filter uses patented BWT Magnesium Technology, which also mineralises the filtrate with magnesium. This flavour carrier guarantees high sensory quality in both the water and the products made from it. The filter system consists of a filter cartridge with a BWT besthead filter head that is screwed on. The blend partial flow (0–3) is set on the filter head depending on the water hardness and requirement.

APPLICATIONS: For coffee and vending machines

Description	Dimensions HxWmm	Capacity (ltrs) Vending	Capacity (ltrs) Coffee MC + Steam	Part No
BWT BESTMAX PREMIUM XL	530 x 145	3900	3250	BWT-MAXPREMIUM-XL
BWT BESTMAX PREMIUM 2XL	600 x 185	6350	5290	BWT-MAXPREMIUM-2XL

BWT BESTMAX SOFT



FEATURES

Perfect coffee water from every water type – that's the BWT water+more promise. Joining our world-beating hot drinks range of filters, BWT bestmax SOFT targets raw water with low carbonate hardness. Providing taste and odour filtration, pH maintenance and pinpoint scale management, BWT bestmax SOFT offers coffee shops in 'soft' water areas good machine protection and great hot drink quality.

APPLICATIONS: For optimising already soft water for drinks equipment

Description	Dimensions HxWmm	Capacity (ltrs) H+C Drink No Steam	Capacity (ltrs) Coffee MC + Steam	Part No
BWT BESTMAX SOFT XL	530 x 145	6800	5080	BWT-MAXSOFT-XL
BWT BESTMAX SOFT 2XL	600 x 185	12000	8965	BWT-MAXSOFT-2XL

WATER FILTERS



BWT BESTPROTECT



FEATURES

With BWT bestprotect, you can optimise raw water for catering applications in a targeted way. This filter system ensures balanced mineralisation and a consistently high pH value in the filtrate – key factors that minimise the risk of corrosion. Hardness-forming calcium ions are practically entirely removed and deposits of limescale and gypsum prevented in the case of raw water containing carbonates or sulphates. Insoluble or difficult-to-remove deposits in machines are now a thing of the past. The filter system consists of a filter cartridge with a BWT besthead filter head.

APPLICATIONS: For protecting catering and vending equipment

Description	Dimensions HxWmm	Capacity (ltrs)	Part No
BWT BESTPROTECT XL	530 x 145	2620	BWT-PROTECT-XL
BWT BESTPROTECT 2XL	600 x 185	5000	BWT-PROTECT-2XL

BWT BESTTASTE



FEATURES

BWT besttaste is a water treatment system for the elimination of particles and chlorine from, and the improvement of the odour and taste of, drinking water. besttaste improves the quality of the water for use in coffee machines as well as in hot and cold drink machines. With BWT besttaste, water from water dispensers is of a consistently high quality. Even coffee and vending machines in areas of low carbonate hardness will benefit from the improved water quality.

APPLICATIONS: For drinking water, coffee and vending

Description	Dimensions HxWmm	Capacity (ltrs)	Part No
BWT BESTTASTE	300 x 65	10000	BWT-TASTE-X
BWT BESTTASTE S	385 x 65	40000	BWT-TASTE-S

WATER FILTERS



BWT BESTMIN PREMIUM



FEATURES

BWT bestmin filter cartridges optimise water with a low mineral content for use in the food service sector. This often applies to water in holiday locations, for example from lakes and reservoirs and the water produced by reverse osmosis in seawater treatment plants. BWT bestmin is the perfect solution for restoring this deficiency. The balanced combination of natural minerals in the BWT bestmin filter adds the correct level of minerals to the water used in the food service sector, achieving an optimum brewing and full-taste experience for hot and cold drinks. BWT bestmin gives stale-tasting water a superb sensory quality that brings out the full flavour of hot drinks.

APPLICATIONS: For perfect mineralisation in coffee and vending equipment

Description	Dimensions HxWmm	Capacity (ltrs)	Part No
BWT BESTMIN PREMIUM M	500 x 130	10000	BWT-MINPREMIUM-M

BWT BESTCARE



FEATURES

With the increasing popularity of water dispensers BWT Bestcare provides maximum defence against pathogens. The filters contain ultrafiltration membranes that are highly effective at removing pathogens from the water, while the activated carbon fleeces eliminate unwanted tastes and smells. BWT bestcare filters provide guests and diners with a cool refreshment sensation that guarantees the highest standards of hygiene – consistently pure water of exceptional sensory quality and an impressive capacity.

APPLICATIONS: For water dispensers

Description	Dimensions HxWmm	Capacity (ltrs)	Part No
BWT BESTCARE S	385 x 88	12,000	BWT-CARE-S

WATER FILTERS



3M SCALEGARD™ BLEND SERIES



FEATURES

3M™ ScaleGard™ Blend Series reduces chlorine taste and odour, as well as chloramines that can react with metal, plastic and rubber materials which may cause equipment damage. Scale reduction also helps provide equipment protection from hard scale and corrosion. An innovative, powerful system that combines chloramine reduction water filtration systems with the ability to monitor filter capacity and control water quality at your fingertips. Quadruple-action filtration provides protection against: Hard scale, Corrosion, Chlorine taste/odour and Chloramines.

APPLICATIONS: For protecting catering and vending equipment

Description	Part No
BH3 VARIABLE BYPASS HEAD	3M-BH3HEAD
BH3 VARIABLE BYPASS HEAD WITH MONITOR	3M-BH3MHEAD

FOR COFFEE, HOT BEV & POSTMIX WITH VARIABLE BYPASS

Description	Capacity (ltrs)	Part No
3M SCALEGUARD BLEND 145 CLS CARTRIDGE	2006	3M-B145CLS
3M SCALEGUARD BLEND 165 CLS CARTRIDGE	2835	3M-B165CLS
3M SCALEGUARD BLEND 195 CLS CARTRIDGE	4727	3M-B195CLS

3M AP2 FILTER RANGE



FEATURES

3M's patented filtration technology utilises a powdered, engineered media, combined with a unique binding matrix supporting small particles, to deliver superior efficiency and optimal performance.

The 3M AP2-C401 SG is a dedicated water filter for drinking water and water coolers. It removes bad taste and odours including chlorine, benzene, toxaphene, dichlorobenzene, lead, cycts and reduces sediment. Approximate 4000 litre capacity – recommended cartridge change every 6 months.

APPLICATIONS: For steam ovens and combination steamers

Description	Part No
3M AP2 HEAD FOR AP2 CARTRIDGE	3M-AP2HEAD

Description	Capacity (ltrs)	Part No
3M AP2-C401G CARTRIDGE	4000	3M-AP2-C401G
3M AP2-C401SG CARTRIDGE FOR DRINKING WATER AND WATER COOLER APPLICATIONS	4000	3M-AP2-C401SG
3M 0.5 MICRON CARBON BLOCK REDUCES CHLORINE, TASTE & ODOUR	4000	3M-AP2-C405G
3M AP2-C405SG 0.5 MICRON REDUCES CHLORINE, TASTE & ODOUR AND SCALE INHIBITOR	4000	3M-AP2-C405 FILTER

Capacity based on water hardness of 12° clarke / 180 PPM



WATER FILTERS

3M HF-MS FILTER CARTRIDGE RANGE



FEATURES

The 3M HF-MS range provides scale inhibition for coffee machines and small vending machines as well as sediment and chlorine, taste and odour reduction.

The small sizes are ideal for space constraint issues. All products fit the VH3 head which allows interchangeability and no requirement for turning off the water supply when changing a cartridge.

APPLICATIONS: For steam ovens and combination steamers

Description	Part No	
STANDARD VH3 HEAD WITH FEMALE 3/8 BSP	3M-VH3STANDARDHEAD	
VH3 HEAD WITH 3/8" PUSH FIT CONNECTIONS	3M-VH3HEADJ/G3/8FIT	

Description	Capacity (ltrs)	Part No
3M HF05MS CARTRIDGE	5600	3M-HF05MS
3M HF10MS CARTRIDGE	13000	3M-HF10MS

3M HF-S FILTER CARTRIDGE RANGE All sizes available, please contact sales.



FEATURES

The 3M HF-S range reduces sediment, bacteria and chlorine for clearer and great tasting ice. The built-in scale inhibitor reduces lime scale build-up on evaporator plates to help ensure long lasting equipment and reduce service calls. Sanitary Quick Change (SQC) encapsulated cartridge design allows for fast and easy cartridge change.

APPLICATIONS: For ice makers and flakers

Description	Capacity (ltrs)	Part No
3M HF40-S CARTRIDGE	94000	3M-HF40-S
3M HF60-S CARTRIDGE	132489	3M-HF60-S
3M HF90-S CARTRIDGE	200000	3M-HF90-S

3M SCALEGARD™ PRO RANGE



FEATURES

The 3M ScaleGard Pro range has been designed to protect coffee and beverage equipment from the harmful effects of scale build-up in hard water areas. The filter cartridge has been designed to prevent hard scale formation in the heating coils that will result in energy inefficiency, equipment downtime and expensive service call outs.

APPLICATIONS: For hot beverage equipment

Description	Capacity (ltrs)	Part No
3M SCALEGARD PRO 124 CARTRIDGE	1600	3M-SGP124BN
3M SCALEGARD PRO 165 CARTRIDGE	2300	3M-SGP165BN
3M SCALEGARD PRO 195 CARTRIDGE	3900	3M-SGP195BN

Capacity based on water hardness of 12° clark / 180 PPM

WATER FILTERS

EVERPURE

EVERPURE INSURICE FILTER RANGE



FEATURES

The Everpure Insurice filtration system provides premium quality water for ice machines and flakers. It reduces chlorine taste, odours and other contaminants for clearer, brighter great tasting ice.

Proprietary Micro-Pure® II filtration media effectively inhibits the growth of bacteria on the filter. Sanitary cartridge replacement is simple, quick and clean. Internal filter parts are never exposed to handling or contamination.

The filter also reduces water related ice machine service problems caused by scale, dirt and other dissolved minerals.

APPLICATIONS: For ice makers and flakers

Description	Dimensions HxWxDmm	Capacity (ltrs)	Part No
EVERPURE INSURICE SINGLE FILTER FOR ICE MACHINE APPLICATIONS FOR ICE MACHINES USING UP TO 135KG DAILY	677 x 200 x 130	34000	EV932401
Description	Dimensions HxWxDmm	Capacity (ltrs)	Part No
EVERPURE INSURICE TWIN FILTER FOR ICE MACHINE APPLICATIONS FOR ICE MACHINES USING UP TO 280KG DAILY	640 x 420 x 139	68130	EV932402

EVERPURE MH2 FILTER CARTRIDGE



FEATURES

The Everpure MH2 provides premium quality water for coffee and hot beverage applications. Ensures clear, fresh water that produces great tasting coffee and other hot beverages. Scale inhibitor helps reduce scale build up on heating elements thus protecting the equipment and reducing service costs.

APPLICATIONS: For hot beverage equipment

Description	Dimensions HxDmm	Capacity (ltrs)	Part No
EVERPURE MH2 REPLACEMENT CARTRIDGE FILTER FOR HOT BEVERAGE APPLICATIONS UTILISING QL3B HEAD (NOT SUPPLIED)	369 x 83	34068	EV961326
Description	Part No		
EVERPURE QL3B HEAD	EVP4312-13		

Capacity based on water hardness of 12°clarke / 180 PPM

WATER FILTERS

EVERPURE

EVERPURE 4C FILTER CARTRIDGE



FEATURES

The Everpure 4C provides a 11,355 litre capacity and is specifically designed for cold cup vending applications and features precoat filtration to provide superior chlorine taste and odour reduction. Submicron filter technology filters dirt and particles as small as 0.5 microns in size as well as reducing contaminants such as Cryptosporidium and Giardia cysts.

APPLICATIONS: For cold cup vending applications

Description	Dimensions HxDmm	Capacity (ltrs)	Part No
EVERPURE 4C REPLACEMENT CARTRIDGE FILTER FOR COLD CUP VENDING APPLICATIONS UTILISING QL3B HEAD (NOT SUPPLIED)	369 x 83	11355	EV96011

Description	Part No
EVERPURE QL3B HEAD	EVP4312-13

EVERPURE 4H FILTER CARTRIDGE



FEATURES

The Everpure 4H provides a 11,355 litre capacity and is a scale inhibiting water filter specifically designed for hot cup vending applications and features precoat filtration to provide superior chlorine taste and odour reduction. Submicron filter technology filters dirt and particles as small as 0.5 microns in size as well as reducing contaminants such as Cryptosporidium and Giardia cysts.

APPLICATIONS: For hot beverage equipment

Description	Dimensions HxDmm	Capacity (ltrs)	Part No
EVERPURE 4H REPLACEMENT CARTRIDGE FILTER FOR HOT CUP VENDING APPLICATIONS UTILISING QL3B HEAD (NOT SUPPLIED)	369 x 83	11355	EV961100

Description	Part No
EVERPURE QL3B HEAD	EVP4312-13

Capacity based on water hardness of 12° Clarke / 180 PPM

WATER FILTERS

EVERPURE

EVERPURE MC2 FILTER CARTRIDGE



FEATURES

The Everpure MC² Filter Cartridge improves the taste of fountain beverages and helps retain the drinks carbonation. It can be used for both fountain beverage and combination applications. Micro-Pure II media with AglON™ antimicrobial protection inhibits any potential bacterial growth. Exclusive submicron precoat filtration removes particles as small as 1/2 micron in size, eliminating bad tastes and odours.

APPLICATIONS: For drinking water application

Description	Dimensions HxDmm	Capacity (ltrs)	Part No
EVERPURE MC2 REPLACEMENT CARTRIDGE FILTER FOR DRINKING WATER APPLICATIONS UTILISING QL3B HEAD (NOT SUPPLIED)	527 x 83	34068	EV961255
Description	Part No		
EVERPURE QL3B HEAD	EVP4312-13		

EVERPURE CLARIS



FEATURES

Everpure Claris filter systems are designed specifically for tea and beverage equipment. The cartridges reduce scale as well as improving the taste and aroma of the final beverage. The Claris system uses ion exchange (saltless softening) technology to remove hardness and reduce alkalinity. The final water hardness can then be carefully tailored for optimal performance.

In addition the Claris XXL System is suitable for steam applications.

APPLICATIONS: For tea and beverage equipment

Description	Dimensions HxDmm	Capacity (ltrs)	Part No
CLARIS MEDIUM REPLACEMENT CARTRIDGE	426 x 94	3002	EVP4339-11
CLARIS LARGE REPLACEMENT CARTRIDGE	360 x 136	5016	EVP4339-12
CLARIS EXTRA LARGE REPLACEMENT CARTRIDGE	471 x 136	7192	EVP4339-13
CLARIS XXL REPLACEMENT CARTRIDGE	471 x 175	13200	EVP4339-14

Capacity based on water hardness of 12° Clarke / 180 PPM

WATER FILTERS

EVERPURE

EVERPURE CLARIS ULTRA



FEATURES

The Everpure Claris Ultra range is the world's first filter cartridge which combines mineral reduction and corrosion protection through advanced pH balancing whilst providing the very best filtered water quality for hot drinks and ice machines whilst preventing scale formation. The Everpure Claris Ultra range of cartridges have the distinct advantage of inhibiting corrosion and metal migration within the widest range of water hardness levels.

APPLICATIONS: For use with coffee machines, ice makers and vending machines

Description	Dimensions HxDmm	Capacity (ltrs)	Part No
CLARIS ULTRA 250 REPLACEMENT CARTRIDGE	315 x 94	2250	EVP4339-80
CLARIS ULTRA 500 REPLACEMENT CARTRIDGE	426 x 94	3750	EVP4339-81
CLARIS ULTRA 1000 REPLACEMENT CARTRIDGE	360 x 136	7000	EVP4339-82
CLARIS ULTRA 1500 REPLACEMENT CARTRIDGE	471 x 136	10000	EVP4339-83
CLARIS ULTRA 2000 REPLACEMENT CARTRIDGE	471 x 175	16500	EVP4339-84

Capacity based on water hardness of 12° clarke / 180 PPM




Description	Part No
CLARIS HEAD ONLY 3/8" BSP MALE	EVP4339-90
CLARIS WATER METER	EVP4339-30

COFFEE MACHINE PARTS AND ACCESSORIES

FLUID TRANSFER PARTS AND ACCESSORIES FOR
MAKING/SERVING COFFEE

VALVES / GRINDER BLADES / PRESSURE SWITCHES / ACCESSORIES



COFFEE MACHINE PARTS & ACCESSORIES



Description

ANTI-VACUUM VALVE STANDARD 1/4"

Part No

ANTIVACUUMVALVE1/4

This valve allows air to escape the boiler as the water heats up, hissing and then closing off when the boiler water reaches it's operating pressure, sealed by the steam pressure created.



Description

GICAR FLOW METER LID ONLY WITH LED

Part No

FLOWMETER-GICARLIDLED

GICAR flow meter lid only with LED, GICAR, Part number 9.0.16.50G



Description

GICAR PLASTIC PROPELLOR

Part No

FLOWMETER-GICARPROPELLOR

GICAR propeller, Part number 6.9.23.05G



Description

GRINDER BLADES SAN MARCO 64MM - 37MM RH

Part No

GRINDERBLADES-64MM

Pair of grinder blades / burrs for SAN MARCO grinder, 64mm – 37mm RH, 8.5mm thickness, 3 fixing holes



Description

GRINDER BLADES SAN MARCO 84MM - 45MM RH

Part No

GRINDERBLADES-84MM

Pair of grinder blades / burrs for SAN MARCO grinder, 84mm – 45mm RH, 9mm thickness, 3 fixing holes



Description

6.5MM HOLDER GASKET

Part No

HOLDERGASKET-6.5MM

Filter holder gasket, 64 x 52.5 x 5.5mm

COFFEE MACHINE PARTS & ACCESSORIES


Description

MACHINE FOOT 80 X 48MM

Aluminum and rubber machine extension stand, 80 x 48mm

Part No

MACHINEFOOT80X48MM


Description

SIRAI PRESSURE SWITCH 30AMP

Pressure switch P302/6, CE-SEV-ASE-UL Approved, Connection ISO228G 1/4" M for pipe diameter 4x6mm, Adjustable scale 0.5 – 1.4 Bar, Fixed Differential 0.15 (+/- 0.06) Bar, Fluid Max Temp 140°C, Max load contacts 220V 7Kw (30A), 400V 12Kw (30A)

Part No

PRESSURESWITCH-SIRAI30AMP


Description

3/8" BSP MALE CERTIFIED RELIEF VALVE BRAND NOSTRALI

Boiler valve diameter 3/8M, 1.8 Bar CE-PED, Calibration pressure 1.8 Bar, Steam outlet rate 6.3Kg/H

Part No

 RELIEFVALVE-
38BSPM1.8BARNOSTRALI

Description

LUCIFER 3 WAY BODY, RUBY SEAL ORIFICE 1.5MM FLUID TEMPERATURE -30°C + 140°C

E131F4304G, Lucifer solenoid body 3 way, Ruby seal orifice 1.5mm, Fluid temp -30°C – +140°C, Outlet diameter 1/8" Conical, Max 10 Bar

Part No

SOLENOID-LUCIFER3WAYBODY


Description

LUCIFER 3 WAY COMPLETE VALVE 240V 50HZ, COIL 9W

E131F4304, Ruby seal orifice 1.5mm, Fluid temp -40°C – +140°C, Outlet diameter 1/8" Conical, Max 10 Bar, 240V 50Hz 9W coil

Part No

 SOLENOID-
LUCIFER3WAYCOMPLETE

Description

LUCIFER/PARKER 230V 9W COIL WITH DIN PLUG

Width 32mm, Height 38mm, Length 43mm, 240V 50Hz 9W coil

Part No

 SOLENOID-
LUCIFERCOIL230V9W

COFFEE MACHINE PARTS & ACCESSORIES



Description

ODE MINI VALVE 2 WAY 1/8" G, 230/240V 18BAR, 5WATT

2 Way valve, Orifice diameter 2.3mm, Temp -10°C - +140°C, 240V 5W

Part No

SOLENOID-ODE21JN1ROV23



Description

MILK JUG S/STEEL 0.6 LITRE

MILK JUG S/STEEL 1 LITRE

MILK JUG S/STEEL 1.5 LITRE

3OZ/85ML STAINLESS STEEL MILK JUG

Part No

SSJUG-0.6LITRE

SSJUG-1LITRE

SSJUG-1.5LITRE

SSJUG-3OZ

Range of Stainless steel milk jugs from stock, other sizes available, contact sales.



Description

S/STEEL SHAKER WITH MESH TOP-6OZ 95MM X 70MM

Stainless steel chocolate shaker with mesh lid

Part No

SSSHAKER-95MMX70MM



Description

ANALOGICAL THERMOMETER 25MM

Clip on analogue thermometer, Temp scale 0-100°C

Part No

THERMOMETER-
ANALOGICAL25MM



Description

EXPANSION VALVE 14BAR 6MM PUSHFIT X 9MM BARB

14 Bar Expansion valve, Quick coupling, 6mm push fit x 9mm barb

Part No

VALVE-EXPANSION14BAR



Description

EXPANSION VALVE 4BAR 6MM STEM X 9MM BARB

4 Bar Expansion valve, Quick coupling, 6mm stem x 9mm barb


Part No

VALVE-EXPANSION4BAR

MISC

PLEASE CONTACT SALES IF YOU NEED SOMETHING
THAT IS NOT LISTED HERE

CABLE TIE / STAINLESS STEEL CLAMPS / OETIKER / MISC



MISC

CABLE TIE



Description	Part No
BLACK NYLON CABLE TIE.100MM X 2.5MM	CABLETIE-002
BLACK NYLON CABLE TIE. 250MM X 4.8MM	CABLETIE-003
BLACK CABLE TIES 370MM X 7.6MM	CABLETIE-005
BLACK CABLE TIE 200MM X 4.8MM	CABLETIE-006
BLACK CABLE TIE 203MM LONG X 7.6MM WIDE	CABLETIE-007
BLACK CABLE TIE 300MM LONG X 4.8MM WIDE	CABLETIE-008
BLACK CABLE TIE CRADLE, TAKES UP TO 9MM WIDE TIES	CABLETIEBASE-9MMBLACK

S/STEEL CLAMPS - Alternative brand to OETIKER, made in Brazil. **OTHER SIZES AVAILABLE.**



Description	Part No
S/STEEL CLAMP 10.5	CLAMP118-10.5
S/STEEL CLAMP 14.5	CLAMP118-14.5
S/STEEL CLAMP 17.0	CLAMP118-17.0
S/STEEL CLAMP 19.8	CLAMP118-19.8

OETIKER **OTHER SIZES AVAILABLE.**



Description	Part No
OETIKER CLAMPS 8.8MM-10.5MM 1 EAR STEPLESS	OET10.5-505R
OETIKER CLAMPS 9.6MM-11.3MM 1 EAR STEPLESS	OET11.3-505R
OETIKER CLAMPS 12.00MM - 14.0MM 1 EAR STEPLESS	OET14.0-706R
OETIKER CLAMPS 12.00MM - 14.5MM 1 EAR STEPLESS	OET14.5-706R
OETIKER CLAMPS 14.5MM - 17.00MM 1 EAR STEPLESS	OET17.0-706R



Description	Part No
OET PLIERS SIDE JAW	OET-PLIERS

MISC

MISC


Description

PTFE TAPE 12MM X 12M X 0.075MM

Part No

PTFE TAPE


Description

WRAS APPROVED FERNOX EXTERNAL LEAK SEALER AND JOINTING COMPOUND

Part No

LEAKSEALER-LS-X


Description

FOOD SAFE PURE SILICONE GREASE USED FOR PROTECTION, SEALING AND LUBRICATION FOR ALL METAL, PLASTIC AND RUBBER COMPONENTS.

Part No

SILICONEGREASE


Description

AMBERSIL SILICONE SPRAY 500ML

Part No

SILSPRAY-AMBERSIL


Description

15MM COPPER TUBE CUT TO 5CMS

Part No

WOL508200-2INCH

15MM COPPER TUBE 10CM PIECE

WOL508200-4INCH


Description

DN15 WRAS APPROVED, COLD WATER, MULTIJET, BRASS BODY WATER METER

Part No

METER-CW-001


Description

LABEL & ADHESIVE REMOVER, FOOD GRADE 200ML

Part No

LABEL REMOVER

Suitable for use in the food and beverage industry the Label & Adhesive Remover from Ambersil is designed for the removal of packaging and transport labels from shipping containers, plastic boxes, and bulk storage (intermediate) drums. Its effective blend of solvent and citrus actively penetrates the paper layer to breakdown the adhesive minimising the requirement for scraping.
Warning: Flammable – contains solvents

MISC

MISC



Description

AMBERSIL LABEL AND ADHESIVE REMOVER,
NON-FOOD GRADE, 200ML.

Part No

LABELREMOVER-NONFOODGRADE



Description

ANTI-STATIC FOAMING CLEANER 400ML

Part No

ANTI-STATIC CLEANER

An anti-static cleaner that can be used to remove general grime and soiling on both hard and soft surfaces. Ideal for use as a post-maintenance cleaner its formula removes light oils, finger marks and grime whilst inhibiting dust build up thanks to its anti-static properties.



Description

AMBERSIL WATER BASED LEAK DETECTOR, 400ML

Part No

LEAKDETECTORSPRAY


KITTING AND VALUE ADDED SERVICES

AS A WELL-ESTABLISHED UK MANUFACTURER (OVER 35 YEARS) OF CALCIUM TREATMENT UNITS (CTU'S), WATER SOFTENERS AND WATER FILTERS, OVER THE LAST 2 YEARS WE HAVE EXPANDED OUR FACILITIES TO INCLUDE PARTS SALES/DISTRIBUTION AND KITTING/BUILD SERVICES.

UTILISING OUR ENGINEERING EXPERTISE, WE ARE ABLE TO BUILD PRODUCTS TO MEET MOST LIQUID DISPENSE APPLICATIONS. IF YOU HAVE A REQUIREMENT, PLEASE CONTACT US.

WE OFFER A FULL KITTING SERVICE FROM INDIVIDUALLY BAGGED SERVICE KITS, OR MORE COMPLEX FITTINGS/TUBING/VALVE ASSEMBLIES. NOTHING IS BEYOND OUR CAPABILITIES.

**FOR MORE INFORMATION OR TO DISCUSS YOUR REQUIREMENTS
PLEASE CONTACT OUR SALES TEAM ON: 01279 742059**



TERMS & CONDITIONS

1. Application

1.1 These Terms and Conditions shall apply to the purchase of the goods/service detailed overleaf ("Goods") by you ("Buyer") from WaterCare Ltd a company registered in England under number 03114221 whose registered office is at Euro House, 1394 High Road, London, N20 9YZ ("Seller") and to the payment of this invoice. No other terms and conditions shall apply to the sale of the Goods or to this invoice unless agreed upon in writing between the Buyer and Seller.

1.2 The essence of these Terms and Conditions remains the same as those included with the Seller's quotation. The tense has been altered to reflect the inclusion of these Terms and Conditions in an invoice.

2. Interpretation

2.1 a "business day" means any day other than a Saturday, Sunday or bank holiday.

2.2 The headings in these Terms and Conditions are for convenience only and shall not affect their interpretation.

2.3 Words imparting the singular number shall include the plural and vice-versa.

3. Goods

3.1 the description of the Goods are as set out in the Seller's brochure and website and confirmed in the quotation and this invoice. In accepting this quotation the Buyer has acknowledged that it does not rely on any other representations regarding the Goods save for those made in writing by the Seller. No descriptions of the Goods set out in the Seller's brochure and website shall be binding on the Seller and are intended as a guide only.

3.2 The Seller reserves the right to make any changes in the specification of the Goods which are required to conform to any applicable safety or other statutory or regulatory requirements.

4. Price

4.1 Subject to sub-Clause 4.2, the price ("Price") of the Goods shall be that detailed in the quotation, accepted by the Buyer & confirmed in this invoice.

4.2 Any increase in the cost of the Goods to the Seller due to any factor beyond the Seller's control including, but not limited to, material costs, labour costs, alteration of exchange rates or duties, or changes to delivery rates, shall be reflected in this invoice in accordance with the Seller's right to increase the Price prior to delivery.

4.3 Any increase in the Price under sub-Clause 4.2 shall only take place upon the Seller informing the Buyer of the increase in writing.

4.4 The Price is exclusive of fees for packaging and transportation / delivery.

4.5 The Price is exclusive of any applicable VAT and other taxes or levies which are imposed or charged by any competent authority.

5. Basis of Sale

5.1 The quotation, sales order or service contract constitutes written acceptance and confirmation by the Seller of the Buyer's order for the Goods.

5.2 The quotation, sales order or service contract is a contractual offer to sell the Goods which the Buyer has accepted. The Seller and the Buyer have entered into a contract for the sale of the Goods.

6. Quotations

6.1 We have endeavoured to give our best possible suggestions for products and treatment but cannot accept responsibility for system guarantees.

6.2 Special or Bespoke orders and orders over £10,000 require 50% paid on pro-forma with the rest in stage payments to be agreed.

6.3 All pro-forma sale orders require payment with order.

6.4 All prices exclude carriage unless otherwise stated.

6.5 Specially ordered products are non-returnable/refundable.

6.6 The Buyer will determine the suitability of the goods for its intended use and will not rely upon any representations made by or on behalf of EWC.

6.7 WaterCare's liability under these conditions shall never exceed the cost of replacement or the price paid by the buyer for goods or services

6.8 WaterCare will not be liable for any consequential or indirect loss or damage (Whether for loss of profit, loss of business, depletion of goodwill or otherwise) costs, expenses or other claims for consequential compensation whatsoever suffered by the buyer.

7. Payment

7.1 The Buyer shall pay the Price stated in this invoice within 30 days of the date of this invoice or otherwise in accordance with any credit terms agreed between the Seller and the Buyer.

7.2 Payment must be made by the Buyer notwithstanding that delivery may not have taken place.

7.3 If the Buyer fails to make payment within the period in sub-Clause 6.1, the Seller shall suspend any further deliveries to the Buyer and/or cancel any pending orders from the Buyer and charge the Buyer interest at the rate of 8% per annum above the Bank of England base rate from time to time on the amount outstanding until payment is received in full.

7.4 Time for payment is of the essence of the Contract between the Seller and the Buyer.

7.5 All payments must be made in GBP Sterling unless otherwise agreed in writing between the Seller and the Buyer.

8. Delivery

8.1 The Seller has delivered the Goods to the Buyer, OR has notified the Buyer that the Goods are ready for collection by the Buyer. Every attempt will be made to ensure delivery is made as agreed however deliveries are usually undertaken by a third party and the Seller cannot be held responsible for any delays arising once goods are in transit.

8.2 Certain products that are classified as oversized or require palletised delivery may incur additional freight charges. Please note that these charges are dependent on the delivery location, and as such, we are unable to provide an exact quote in advance.

TERMS & CONDITIONS...

9. Inspection of Goods

9.1 The Buyer is under a duty to inspect the Goods on delivery or collection.

9.2 If the Goods cannot be examined, the carriers note or such other note as appropriate must be marked "not examined".

9.3 If the Buyer identifies any damage or shortages it must inform the Seller in writing within 7 days of delivery, providing details of the alleged damage or shortage. The Seller shall not be liable if the Buyer fails to provide such notice.

9.4 The Seller must be permitted to inspect the affected Goods before the Buyer uses, alters or modifies them in any way.

9.5 Subject to the Buyer's compliance with this Clause 8 and the Seller's agreement with any alleged damage or shortages, the Seller shall make good any and all damage and shortages within a reasonable time.

9.6 The Seller shall be under no liability for and shall not indemnify the Buyer against any matters arising from damage or shortages.

10. Returns

10.1 Goods may not be returned without the prior agreement of the Seller.

10.2 The Seller shall only accept returned Goods if it is satisfied that those Goods are defective and that such defects would not be apparent on inspection.

10.3 The Seller shall have the option of either replacing defective Goods within 7 days of receipt of them or shall refund to the Buyer the Price for those Goods which are defective.

(a) The Buyer bears the risk and cost of returning the Goods;

(b) the Buyer indemnifies the Seller against any costs incurred in rectifying any deterioration of the Goods resulting from the Buyer's incorrect handling or storage of the Goods.

10.4 The Seller shall not be liable for defects arising out of normal wear and tear, the Buyer's failure to follow any instructions given by the Seller, misuse or alteration of the goods, negligence, wilful damage or any other act of the Buyer, its employees, agents or any other third party.

11. Regeneration Scheme

11.1 'Regenerated Unit', 'Regen' or 'Regen CTU' are terms* used to describe a Calcium Treatment Unit that is sold on the basis an equivalent or other agreed unit will be returned** for regeneration in exchange for a credit.

11.2 Regenerated units sold at 'Regeneration Only' price are not subject to credits as they are already at a reduced price. Units sold in this way remain the property of European Water Care Ltd and failure to return these units within a reasonable time frame will result in additional charges being levied.

11.3 Returned regenerated units must be received by the Seller in usable condition. Any damages will be photographed and logged and will incur additional charges. Buyers on the 'Regeneration Only' scheme will be charged for a replacement unit. Buyers paying standard price will receive only 50% of the standard credit due. Photographs and details of the damage will be provided to the Buyer to facilitate any claims they may have with their courier.

11.4 The regeneration scheme cannot be used to extend your payment terms. All invoices must be paid on their due date. Any credit notes for returns received after the invoices due date will remain on the account to use against future orders.

* This is not an exhaustive list

** Units must be returned within a reasonable time frame; unless otherwise agreed in writing, this is a maximum of 6 months.

12. Capacities

12.1 Capacities quoted on our website and in our literature are for guidance purposes only and are affected by varying geographical water conditions and other factors.

13. Risk and Title

13.1 Risk of damage to or loss of the Goods shall pass to the Buyer either when the Goods are delivered to the Buyer or when the Seller notifies the Buyer that the Goods are ready for collection.

13.2 If the Buyer wrongfully fails to take delivery of the Goods, risk shall pass to the Buyer at the time when the Seller has tendered delivery of the Goods.

13.3 Legal and beneficial title in the Goods shall not pass to the Buyer until the Seller has received, in cash or cleared funds, payment in full of the Price plus any applicable VAT/taxes and delivery/packing charges.

13.4 The Seller reserves the right to repossess any Goods in which the Seller retains legal and beneficial title if full payment is not received in accordance with Clause 6. In the event of such repossession the Buyer shall deliver the Goods in which legal and beneficial title has not passed to the Seller at its own cost.

13.5 The Buyer's right to possession of the Goods in which the Seller retains legal and beneficial title shall terminate if:

(a) the Buyer commits a material breach of its obligations under these Terms and Conditions;

(b) the Buyer is or becomes the subject of a bankruptcy order or takes advantage of any other statutory provision for the relief of insolvent debtors;

(c) the Buyer enters into a voluntary arrangement under Part 1 of the Insolvency Act 1986, or any other scheme or arrangement is made with its creditors; or

(d) the Buyer convenes any meeting of its creditors, enters into voluntary or compulsory liquidation, has a receiver, manager, administrator or administrative receiver appointed in respect of its assets or undertakings or any part thereof, any documents are filed with the court for the appointment of an administrator in respect of the Buyer, notice of intention to appoint an administrator is given by the Buyer or any of its directors or by a qualifying floating charge holder (as defined in para. 14 of Schedule B1 of the Insolvency Act 1986), a resolution is passed or petition presented to any court for the winding up of the Buyer or for the granting of an administration order in respect of the Buyer, or any proceedings are commenced relating to the insolvency or possible insolvency of the Buyer.

TERMS & CONDITIONS...

14. Rights, Warranties and Liability

14.1 Subject to these Terms and Conditions and except where the Buyer is purchasing the Goods as a consumer, all warranties, conditions or other terms implied by statute or common law (save for those implied by Section 12 of the Sale of Goods Act 1979) are excluded to the fullest extent permitted by law.

14.2 The Seller shall not be liable for any loss or damages of any nature, direct or indirect, including any loss of profits or consequential damages suffered or incurred by the Buyer for whatever reason.

14.3 The exclusions of liability contained within this Clause 11 shall not exclude or limit the liability of the Seller:

- (a) for death or personal injury caused by the Seller's negligence;
- (b) for any matter for which it would be illegal for the Seller to exclude or limit its liability; and
- (c) for fraud or fraudulent misrepresentation.

15. Communications

15.1 All notices under these Terms and Conditions shall be in writing and signed by, or on behalf of, the party giving notice (or a duly authorised officer of that party).

15.2 Notices shall be deemed to have been duly given:

- (a) when delivered, if delivered by courier or other messenger (including registered mail) during the normal business hours of the recipient;
- (b) when sent, if transmitted by fax, a successful transmission report or return receipt is generated;
- (c) when sent, if emailed and an undeliverable notification is not received within 24 hours of sending.
- (d) on the fifth business day following mailing, if mailed by national ordinary mail; or
- (e) on the tenth business day following mailing, if mailed by airmail.

15.3 All notices under these Terms and Conditions shall be addressed to the most recent address, email address or fax number notified to the other party.

16. Force Majeure

Neither party shall be liable for any failure or delay in performing their obligations where such failure or delay results from any cause that is beyond the reasonable control of that party. Such causes include, but are not limited to: power failure, Internet Service Provider failure, industrial action, civil unrest, fire, flood, storms, earthquakes, acts of terrorism, acts of war, governmental action or any other event that is beyond the control of the party in question.

17. No Waiver

No waiver by the Seller of any breach of these Terms and Conditions by the Buyer shall be considered as a waiver of any subsequent breach of the same or any other provision.

18. Severance

In the event that one or more of these Terms and Conditions is found to be unlawful, invalid or otherwise unenforceable, that / those provisions shall be deemed severed from the remainder of these Terms and Conditions (which shall remain valid and enforceable).


19. Law and Jurisdiction

19.1 These Terms and Conditions (including any non-contractual matters and obligations arising there from or associated therewith) shall be governed by, and construed in accordance with, the laws of England and Wales.

19.2 Any dispute, controversy, proceedings or claim between the Seller and the Buyer relating to these Terms and Conditions (including any non-contractual matters and obligations arising there from or associated therewith) shall fall within the jurisdiction of the courts of England and Wales.

NOTES

NOTES



01279 780 250 | info@watercare.co.uk

WaterCare | Regal House | South Road | Harlow | CM20 2BL. | www.watercare.co.uk